



AF Pollution Abatement Systems, Inc.
74 Auriga Drive Unit 1, Nepean, ON K2E 7X7
Tel: (613) 723-1847 **Fax:** (613) 723-0145 **Toll Free:** 1 800 465-7672
Email: info@afpollution.com **Web:** www.afpollution.com



AF Pollution Abatement Systems Inc., established in 1981, is a wholly Canadian owned and operated business. Proud to be recognized as the first and foremost supplier of a full line of spill response products and personal protective equipment to Canadian companies over the past 23 years, our company strongly believes in providing our customers with the highest quality of products, competitive pricing and unsurpassed service.

Our broad range of products, to name a few, include: absorbents, poly and steel drums, spill control stations, above ground waste oil storage systems, skimmers, filtration systems, carbon filtration systems, industrial hoses, and OH&ES. Our Oclansorb™ and 3M™ lines continue to be leaders in the field of spill control and clean up. Through our knowledge and experience in the spill contingency industry, we have continuously introduced many new products over the years, answering to the changing needs of our clients.

We are dedicated to maintaining our reputation of providing our customers with the most cost-effective, quality products, while meeting our customers' needs in the most professional and competent manner.

We invite you to contact us with any of your needs.

Our Products:

Absorbents	4
Absorbent Pads, Rolls, Booms, Socks, Pillows, Drum Covers, Oclansorb, Solid-a-Sorb, Qualisorb, Liquid-Dry, Grid-o'cob, Neutralizers	
Spill Kits	10
Fleet Spill Kit, Truck Kit, Biochem Kit, Mercury Kit, Mini Kit, Spill Clean-up Kit, Spill Response Station	
Containment	12
Spill Decks, Spill Trays, Spill Pallets, Hard Tops, Spill Sumps/Tanks, Drum Racks, Funnels, Carts/Dollys, Overpack Drums, Lab Packs, Salvage Drums, Drums, Berms, Drip Pans	
Storage	18
Safety Cabinets, Pesticide, Paint/Ink, Corrosive Cabinets, Type I and Type II Safety Cans, Specialty Use Cans, Oilers & Waste Cans, Horizontal Storage Tanks, Vertical Storage Tanks, Above Ground Steel Tanks, Underground Steel Tanks, Water Storage Tanks	
Spill Response	22
Sewer & Drain Products, Popup Pools, Port-a-Tanks, Haz Tanks, Leak Products, Decon Shower, Skimmers	
Recycling	24
Fluorescent Tube Cusher, Aerosolv, Prosolv, Oil Filter Crusher, Oil Can Crusher, Drum Crusher, Waste Tote Compactor	
Industrial Rubber	28
Air Hose, General Purpose Hose, Water Discharge Hose, Water Suction Hose, Steam & Washdown Hose, Petroleum & Chemical Hose, Material Conducting Hose, Food Hose, Tubing, Automotuve Hose, Mischellaneous Hose, Flexaust, CONveyor Belts, Sheet Rubber, Floor Matting	
Safety Supplies	34
Class 95 Particulate Respirators, Class 100 Particulate Respirators, 5000 Series Respirators, 6000 Series Respirators, 7000 Series Respirators, First Response Respirators, Powered Air Purifying Systems, Supplied Air Systems, Winter Gloves, Coated Gloves, Work Gloves, Limited Use Clothing, Chemical Protective Clothing, Rainwear and Boots	
Filtration Systems	52
Liquid Phase Activated Carbon, Bag Filtration Systems	

Absorbents



Hydrophobic Pads



Meltblown Polypropylene

Product	Size	Bale
30000	17" x 19" x 1/4"	100
30001	17" x 19" x 3/16"	200
30002	17" x 19" x 3/8"	100
30004	34" x 38" x 3/8"	50



Anti-static pads

Product	Size	Bale
30007	17" x 19" x 3/8"	100



High performance pads

Product	Size	Bale
3M-HP156	18" x 18" x 1/2"	100
3M-HP256	18" x 18" x 1/2"	200



Air-laid pads

Product	Size	Bale
30009	17" x 19" x 3/8"	100



Laminated pads

Product	Size	Bale
30011	17" x 19" x 3/8"	100
30013	3" x 50' folded	



Folded pads


Product	Size
30014	3" x 50'
3M-PFL500D	

Universal - Maintenance Pads



(Super) Universal pads

Product	Size	Bale
30006	17" x 19" x 3/8"	100
30003	34" x 38" x 3/8"	50
(30005)	17" x 19" x 3/8"	100



High performance pads

Product	Size	Bale
3M-PD1520DD	15" x 20 1/2"	100
3M-MPD720GG	7 1/2" x 20 1/2"	100
30012	3" x 50' folded	
3M-MFL550DD	folded	

Chemical Pads



Chemical pads

Product	Size	Bale
3M-CP-110	11" x 13"	50
3M-CPD914DD	9" x 15"	25



Folded chemical pads

Product
3M-CFL550DD



Hydrophobic Rolls



Hydrophobic rolls

Product	Size	Bale
30101	19" x 144' x 1/4"	2
30102	19" x 144' x 3/8"	2
30103	19" x 288' x 3/16"	2
30104	38" x 144' x 3/8"	1
30105	38" x 144' x 1/4"	1
30106	38" x 288' x 3/16"	1
3M-T190	19" x 144'	2
3M-T100	38" x 144'	1



Anti-static rolls

Product	Size	Bale
3M-HP500	38" x 144'	1



High performance rolls

Product	Size	Bale
3M-HP100	38" x 144'	1

Universal - Maintenance Rolls



Universal rolls

Product	Size	Bale
30112	38" x 144' x 3/8"	1
30114	19" x 144' x 3/8"	2



Super Universal rolls

Product	Size	Bale
30100	15" x 150' x 3/8"	1



High performance rolls

Product	Size	Bale
M-RL15150DD	15.5" x 150'	1
M-RL33150DD	33" x 150'	1
M-RL38150DD	38" x 150'	1



Maintenance rug

Product	Size	Bale
M-RG36300E	36" x 300'	1
M-RG36100E	36" x 100'	1

Chemical Rolls



Chemical rolls

Product	Size	Bale
3M-P130	13" x 100'	2
3M-P190	19" x 100'	2
3M-P380	38" x 100'	1



High performance rolls

Product	Size	Bale
3M-CRL15150DD	15" x 150'	2
3M-CRL38150DD	38" x 100'	1

Absorbents



Hydrophobic Booms



8" Sorbent Booms

Product	Size	Bale
30300	8" x 10'	4
30301	8" x 40'	1



5" Sorbent Booms

Product	Size	Bale
30302	5" x 10' 4	
30303	5" x 40'	1

Universal Booms



8" Universal Booms

Product	Size	Bale
30304	8" x 10'	4



5" Universal Booms

Product	Size	Bale
30305	5" x 10'	4

Hydrophobic Socks



Meltblown Polypropylene

Product	Size	Case
30200	3" x 48"	40
30201	3" x 96"	20
30202	3" x 144"	12



Sorb-Sox™

Filled with Oclansorb™.

Product	Size	Case
30208	4" x 48"	15
30209	4" x 96"	6

Universal Socks



Universal Socks

Product	Size	Case
30204	3" x 48"	40
30210	3" x 96"	20
30211	3" x 144"	12



HazMat Socks

For acids/caustics

Product	Size	Case
30203	3" x 48"	40



Corn-cob Socks

Product	Size	Case
30204	3" x 48"	40
30212	3" x 96"	20
30213	3" x 144"	12




Bilge Socks

Product	Size	Case
30207	3" x 16"	120



Pillows



Hydrophobic pillows

Product	Size	Case
3M-T30	7" x 15"	16
30400	15" x 15"	10



Spillows™

Filled with Oclansorb™.

Product	Size	Case
30401	20" x 20"	10



Maintenance pillows

Product	Size	Case
3M-P300	7" x 15"	16
30403	20" x 20"	10



Chemical pillows

Product	Size	Case
3M-P300	7" x 15"	16
30402	15" x 15"	8

Hydrophobic Particulate



Meltblown Polypropylene


Product	Size	Bale
30020	25 lbs	1
3M-T210	25 lbs	1



Meltblown Polypropylene


Product	Size	Bale
30020	25 lbs	1
3M-T210	25 lbs	1

Drum Covers



Hydrophobic

Product	Size	Bale
30015	22-3/8" dia	25



Universal

Product	Size	Bale
30010	22 - 3/8" dia	25

Maritime Booms



Offshore Boom

Product	Size
30307	Offshore Boom




Inshore Boom

Product	Size
30306	Inshore Boom

Absorbents



Oclansorb™



Oclansorb™



Product	Size	Skid
13000	13 Litre bag	100
44000	44 Litre bag	36



Oclansorb™ Sorb-Sox™

Sorb-sox are more powerful than any other sock on the market. One Sorb-Sox will absorb 2 gallons of oil.

Product	Size	Case
30208	4" x 48"	15
30209	4" x 96"	6



Oclansorb™ Spillows™

Product	Size	Case
30401	20" x 20"	10

What does Oclansorb do?

It absorbs hydrocarbons by encapsulating them on contact. It requires less product for storage and disposal. 1 Lb. of OCLANSORB will absorb approximately 1 gallon of oil. It absorbs hydrocarbons on contact and resists taking on water.

Will reduce up to 90% of combustible vapors upon application due to its high vapor suppression capacity.

Removes ALL free oil from spill sites upon extraction. Absorbs hydrocarbons on land, on hard surfaces i.e., asphalt, concrete, motor pool parking lots, and on water.

Does it meet government standards?

It meets LEACHATE STANDARDS. OCLANSORB will not release soaked-up oil. Independent laboratory tests have shown that OCLANSORB meets LEACHATE STANDARDS in the United States and Canada when used to absorb oil containing PCB's, some organo-chlorinated pesticides, cadmium, chromium and lead. OCLANSORB is an organic, non-toxic product which can be disposed of in a landfill or by incineration in accordance with regulatory guidelines.

How does Oclansorb work?

Absorbs hydrocarbons quickly with its capillary action and porous structure. Encapsulates hydrocarbons, including PCB's - on contact - taking in the hydrocarbon, rather than allowing the hydrocarbon to attach to the outer surface of the product. Has a 5% moisture level which aids in its high absorbency rate. OCLANSORB goes through a patented drying process that no other peat can measure up to. Easy to apply, easy to clean up. Leaves behind no messy residue after clean up

What are the advantages of using Oclansorb?

Safe for the environment- non-toxic. Passes the North American Leachate Standards. Will not release captured hydrocarbons into the environment. Reduces man-hours required for clean-up.

Absorbs all oil based products including PCB's and oil based paint. Requires less product for spill clean-ups which cut costs. Less product used means less volume hauled and disposed of in the landfill. SAVES VALUABLE LANDFILL SPACE. Can be incinerated. On its own will contribute 7,200 BTU's per pound during incineration (excluding POL products.) And leaves behind only 0.42% ash residual. Recycling and biodegradability are major environmental concerns. OCLANSORB is the answer to these concerns.

How does it compare to clay?

OCLANSORB absorbs twelve times its weight in medium oil. Clay-based products absorb, on average, 0.4 times their weight. One pound of OCLANSORB absorbs its own weight in oil. One 44 litre bag of OCLANSORB replaces 9-- 50 lb. bags of clay.



Solid-a-Sorb™ and Qualisorb™ Gold

A granular Diatomite product specifically designed for hazardous waste solidification and clean up.



Solid-a-Sorb™
Fine granular.



Product	Size	Skid
715	25 lb bag	42



Qualisorb™ Gold
Granular.



Product	Size	Skid
628	25 lb bag	42

Liquid-Dry™

Liquid-Dry gellifies water and water diluted spills, turning your spill into solid waste instead of liquid waste, which is more costly to transport and dispose of.



Liquid-Dry™
Gellifies water based spills

Product	Size	Skid
31002	5 gallon pail	42

Grit-o'cob™

Abrasive corn cob absorbent. Can be used as a general absorbent, and as an abrasive.



Grit-o'cob™
Dried corn-cob abrasive absorbent.

Product	Size	Skid
42060	40 lb bag	50

Neutralizers



Acid Neutralizer

Neutralizer for concentrated acid spills. Contains an indicator system that will show when the spill is neutralized.

Product	Size
31004	1 kg bottle powder
31005	20 litre pail powder
31006	20 litre pail liquid



Alkali Neutralizer

Neutralizer for liquid caustic spills. Contains an indicator system that will show when the spill is neutralized.

Product	Size
31007	1 kg bottle powder
31008	20 litre pail powder
31009	20 litre pail liquid



Formaldehyde Neutralizer

Neutralizer for concentrated acid spills. Contains an indicator system that will show when the spill is neutralized.

Product	Size
31010	1 kg bottle
31011	20 litre pail



Mercury Neutralizer

Neutralizer for liquid caustic spills. Contains an indicator system that will show when the spill is neutralized.

Product	Size
31012	1 kg bottle
31013	20 litre pail

Spil Kits



Small Kits



**AFSK001
Fleet Spill Kit**

- 12 sorbent pads
- 2 sorbent socks
- 1 2.5 litre Oclansorb
- 1 pair of PVC gloves
- 1 disposal bag



**AFSK045
Truck Spill Kit**

- 10 sorbent pads
- 1 sorbent boom
- 1 sewer and drain cover
- 1 pair of PVC gloves
- 1 disposal bag



**AFBK001
Personal Biochem Kit**

- 1 Tyvek suit
- 1 pair of goggles
- 1 3M respirator
- 1 pair of PVC gloves, latex gloves
- 1 BIOHAZARD bag

**Also available: AFSK002 -
Chemical Spill Kit**



**AFSK003
Emergency Spill Kit**

- 1 clearly marked duffle bag
- 10 sorbent pads
- 3 sorbent socks
- 5 litres of Oclansorb
- 1 pair of gloves
- 1 disposal bag

**Also available: AFSK004 -
Chemical Spill Kit**



**AFPK002
Pail Spill Kit**

- 1 5 gallon pail
- 20 sorbent pads
- 3 sorbent socks
- 1 pair of gloves
- 1 disposal bag



**AF715
Chemical Spill Kit**

- 1 large tote
- 25 lbs of chemical absorbent
- 4 sorbent socks
- 1 pair of gloves
- 1 disposal bag



**AFM245
Mercury Spill Kit**

- 1 Plastic carrying case
- 1 pair of safety glasses
- 1 pr disposable gloves
- 1 disposal bag
- 4 Hg Absorb™ sponges
- 500 mg of Hg Absorb™ powder



**AF16
Mini Spill Kit**

- 1 Tote box
- 10 sorbent pads
- 3 sorbent socks
- 13 litre bag of Oclansorb
- 1 pair of gloves
- 4 disposal bags



**AF59
Kem-Sorb Kit**

- 1 Tote box
- 50 chemical sorbent pads
- 3 chemical sorbent socks
- 4 chemical sorbent pillows
- 1 pair of PVC gloves
- 1 3M respirator
- 1 Tyvek coverall
- 1 Optional Neutralizer



Spill Kits



AF1601 30 Gallon Overpack Spill Kit

- 12 sorbent pads
- 2 sorbent socks
- 1 2.5 litre Oclansorb
- 1 pair of gloves
- 1 disposal bag



AF42 Spill Clean-up Kit

- 88 litres of Oclansorb
- 20 ft of boom
- 25 sorbent pads
- 1 sewer & drain cover
- 1 pair of gloves
- 1 disposal bag
- 1 small shovel

AF1690 Spill Kit

- 180 litres of Oclansorb
- 40 ft of sorbent boom
- 15 sorbent socks
- 50 sorbent pads
- 1 sewer & drain cover
- 1 pair of gloves
- 1 disposal bag
- 1 small sparkproof shovel



AF711 Spill Kit

- 52 litres of Oclansorb
- 20 ft of boom
- 5 sorbent socks
- 1 sewer & drain cover
- 1 pair of gloves
- 2 disposal bags



AF750 Spill Response Station

- 200 ltr of Oclansorb
- 40 ft of boom
- 5 Sorb-Sox
- 50 sorbent pads
- 1 sewer & drain cover
- 2 pairs of gloves
- 5 disposal bags
- 1 small sparkproof shovel

**We specialize in
manufacturing
custom spill kits.**

**Please contact us
with your needs!**

Call 1-800-465-SORB



AF2000 Spill Response Station

- 500 ltr of Oclansorb
- 40 ft of boom
- 15 Sorb-Sox
- 1 bale of pads
- 1 sewer & drain cover
- 2 tyvek suits
- 2 goggles
- 2 pairs of gloves
- 10 disposal bags

Containment



Spill Decks



Spill Deck

Product	Description
61001	Deck for 1 drum
61002	Deck for 2 drums
61003	Deck for 4 drums
61004	Deck for 6 drums
61005	Deck for 8 drums



Inline Spill Deck

Product	Description
61009	Inline deck for 3 drums
61010	Inline deck for 4 drums
61011	Inline deck for 5 drums
61012	Inline deck for 6 drums




Fluorinated Spill Deck

Product	Description
61013	Fluor deck for 1 drum
61014	Fluor deck for 2 drums
61015	Fluor deck for 4 drums



Spill Deck with Bladder

Product	Description
61006	Deck w bladder for 1 drum
61007	Deck w bladder for 2 drums
61008	Deck w bladder for 4 drums



Steel Spill Deck

Product	Description
61016	Steel deck for 2 drums
61017	Steel deck for 4 drums



Heavy Duty Spill Deck

Product	Description
61018	HD deck for 2 drums
61019	HD deck for 4 drums



Cabinet Spill Deck

Product	Description
61020	Cabinet deck for 2 drums
61021	Cabinet deck for 4 drums



Spill Trays



Containment Tray

Product	Description
61201	Containment Tray



Spill Tray

Product	Description
61202	Spill Tray 1.8 gals.
61203	Spill Tray 2.9 gals.



Spill Pad

Product	Description
61204	Spill Pad 2 gals.
61205	Spill Pad 7.5 gals.
61206	Spill Pad 12 gals.



Lab Tray

Product	Description
61207	Lab Tray 2.5 gals.



Spill Pallets



Spill Pallet

Product	Description
62001	Pallet for 2 drums
62002	Pallet for 4 drums
62029	Pallet for 6 drums
62030	Pallet for 8 drums
62003	Nestable pallet for 4 drums



Heavy Duty Spill Pallet

Product	Description
62008	HD pallet for 4 drums



Economy Spill Pallet

Product	Description
62004	Economy pallet for 2 drums
62005	Economy pallet for 4 drums



Fluorinated Spill Pallet

Product	Description
62009	Fluor pallet for 2 drums
62010	Fluor pallet for 4 drums



Spill King

Product	Description
62006	Spillking for 4 drums
62007	Spillking economy model



IBC Spill Pallet

Product	Description
62012	IBC spill pallet

Hard Tops



P1 Plus

Product	Description
62021	P1 Plus for 1 drum



P2 Plus

Product	Description
62022	P2 Plus for 2 drums



P2/4 Hard Top

Product	Description
62023	P2 HT for 2 drums
62024	P2 HT for 4 drums



Hazard Hut / Job Hut

Product	Description
62024	Job Hut
62025	Hazard Hut



Safety Pack Work Station

Product	Description
62026	Safety Pack
62027	Safety Pack Plus



Rotary Top

Product	Description
62028	Rotary Top

Containment



Sumps / Tanks



Drum Basin

Product	Description
61301	Drum basin for 2 drums
61302	Drum basin for 4 drums



Containment Sump

Product	Description
61303	275 Gallon sump



Flexible Sumps

Product	Description
61304	Flex sump for 4 drums
61305	Flex sump



Spill Collector

Product	Description
61306	Spill Collector



Drum Tray

Product	Description
61307	Drum Tray



Collection Tank

Product	Description
61308	Collection Tank

Drum Racks



Drum Rack

Product	Description
61101	Rack for 1 drum
61102	Rack for 2 drums
61103	Rack for 4 drums



Rack System

Product	Description
61104	1 drum racker
61105	1 drum stacker
61106	2 drum racker
61107	2 drum stacker
61108	Rack shelf



Stacking Shelf

Product	Description	Colour
61401	Stacking shelf	yellow/jaune
61402	Stacking shelf	black/noir



Funnels



Bung Access Funnel

Product	Description
63001	Funnel, with spout
63002	Funnel, no spout
63003	With hinged lid, with spout
63004	With hinged lid, no spout
63020	Snap-on lid



Burp-Less Funnel

Product	Description
63005	Burp-Less Funnel



Universal Funnel

Product	Description
63006	Funnel with spout
63007	Funnel, no spout



Global Funnel

Product	Description
63008	Funnel with spout
63009	With hinged cover, spout



Steel Funnel

Product	Description
63010	Steel Funnel
63011	Parts Screen



Super Funnel

Product	Description
63014	Drain Mate I
63015	Drain Mate II
63016	Drain Safe with T-Plug



Vapour Lock

Product	Description
63012	Funnel with fill tube
63013	Funnel, no fill tube



Drum Topper / Covers

Product	Description
63017	Drum Topper
63018	Drum Cover (Open head)
63019	Drum Cover (Closed head)

Carts / Dollies



Spill Cart

Product	Description
61501	Spill Cart



Poly Dolly

Product	Description
61502	Poly Dolly



Drum Scooter Bogie

Product	Description
61503	Drum Scooter / Bogie



Drum Dolly

Product	Description
61504	Drum Dolly

Containment



Overpack Drums / Lab packs

Overpack Drums

Product	UN Markings	Capacity
67000	1H2/X70.8/S	20 gal
67001	1H2/X136/S	30 gal
67002	1H2/X204/S	55 gal
67003	1H2/X300/S	65 gal
67004	1H2/X349/S	95 gal
67005		180 gal
67006		600 gal



Lab packs

Product	UN Markings	Capacity
67010	1H2/Y68/S	15 gal
67011	1H2/X70.8/S	20 gal
67012	1H2/Z136/S	30 gal
67013	1H2/X204/S	55 gal

Salvage Drums



Salvage Drums

Product	UN Markings	Capacity
67020	1A2 (Steel)	5 gal
67021	1A2 (Steel)	8 gal
67022	1A2 (Steel)	10 gal
67023	1A2 (Steel)	16 gal
67024	1A2 (Steel)	20 gal
67025	1A2 (Steel)	30 gal
67026	1A2 (Steel)	55 gal
67027	1A2 (Steel)	85 gal
67028	1A2 (Steel)	95 gal
67029	1A2 (Steel)	110 gal
67030	1H2/X100/S (Poly)	30 gal
67031	1H2/X75/S (Poly)	20 gal
67032	1H2/X200/S (Poly)	65 gal
67033	1H2/X340/S (Poly)	95 gal



Drums

Poly Drums



Product	Size	Description
75012	20 gallon	open head
75016	30 gallon	open head
75013	45 gallon	open head
75017	15 gallon	closed head
75018	20 gallon	closed head
75019	30 gallon	closed head
75020	45 gallon	closed head

Steel Drums



Product	Size	Description
75021	16 gallon	open head
75022	30 gallon	open head
75023	45 gallon	open head
75024	20 gallon	closed head
75025	30 gallon	closed head
75026	45 gallon	closed head



Berms & Drip Pans

Berms are available in the following sizes:

- 4' x 6' x 1' *
- 6' x 6' x 1' *
- 10' x 10' x 1' *
- 12' x 60' x 1'
- 15' x 50' x 1'
- 15' x 66' x 1'

* Not in Ultimate berm

Berms are available in the following sizes:

- 4' x 6' x 1'
- 6' x 6' x 1'
- 10' x 10' x 1'
- 12' x 60' x 1'
- 15' x 50' x 1'
- 15' x 66' x 1'



Ultimate berm

Product	Description
64001	Ultimate berm



Stake wall berm

Product	Description
64002	Stake wall berm



Compact berm

Product	Description
64003	Compact berm



Collapsible wall berm

Product	Description
64004	Collapsible wall berm



Camo berm

Product	Description
64005	Camo berm



Foam wall berm

Product	Description
64006	Foam wall berm



Dripillow berm

Product	Description
64007	22" x 22" x 3"
64008	24" x 36" x 3"
64009	24" x 54" x 3"
64010	38" x 42" x 3"

Replacement pillows available



Flexible Drip Pan

Product	Description
AF2424	Flexible Drip Pan



Drip Pan

Product	Description
64012	22" x 22" x 3"
64013	38" x 42" x 3"



Storage



Safety Cabinets



Flammable Storage Cabinet

Available in sliding doors, manual doors and self-closing doors.

Product	Size	Capacity
66001	17" x 18" x 22"	4 gal
66002	23" x 18" x 35"	12 gal
66003*	43" x 18" x 22"	15 gal
66004	23" x 18" x 44"	16 gal
66005	35" x 22" x 55"	22 gal
66006	23" x 18" x 65"	24 gal
66007	43" x 12" x 44"	24 gal
66008	43" x 18" x 44"	30 gal
66009	43" x 18" x 65"	45 gal
66010	32" x 32" x 65"	60 gal
66011	43" x 34" x 65"	90 gal

* modular, stackable cabinet



Drum Storage Cabinet

Available in sliding doors, manual doors and self-closing doors.

Product	Size	Capacity
66020	32" x 32" x 65"	55 gal
66021	32" x 48" x 50"	55 gal
66022	58" x 32" x 65"	110 gal
66044	43" x 34" x 65"	60 gal

Pesticide, Paint/Ink, Acid/Corrosive Cabinets



Pesticide Storage Cabinet

Available in sliding doors, manual doors and self-closing doors.

Product	Size	Capacity
66020	23" x 18" x 35"	12 gal
66021	43" x 18" x 44"	30 gal
66022	43" x 18" x 65"	45 gal
66023	32" x 32" x 65"	55 gal
66024	32" x 32" x 65"	55 gal
66025	58" x 32" x 65"	110 gal



Paint/Ink Storage Cabinet

Available in sliding doors, manual doors and self-closing doors.

Product	Size	Capacity
66026	43" x 18" x 44"	40 gal
66027*	43" x 18" x 65"	60 gal
66028	32" x 32" x 65"	120 gal

* modular, stackable cabinet



Acid/Corrosive Storage Cabinet

Available in sliding doors, manual doors and self-closing doors.

Product	Size	Capacity
66012	17" x 18" x 22"	4 gal
66013	23" x 18" x 35"	12 gal
66014*	43" x 18" x 22"	15 gal
66015	23" x 18" x 44"	16 gal
66016	35" x 22" x 55"	22 gal
66032		24 gal
66017	43" x 18" x 44"	30 gal
66018	43" x 18" x 65"	45 gal
66019	32" x 32" x 65"	55 gal
66020	32" x 48" x 50"	55 gal
66033		60 gal
66021	43" x 34" x 65"	90 gal
60029**	18" x 18" x 22"	4 gal
66030**	35" x 22" x 36"	22 gal

* modular, stackable cabinet

** new poly cabinets



Guard Master Storage Cabinet

Premium Storage Cabinet will guard your valuables and sensitive materials with heavy gauge, double walled design.

Product	Size
66031	65" x 43" x 18"



Type I and Type II Safety Cans



Type I Cans

Galvanized Steel, Polyethylene or Stainless Steel. Also available in blue for Kerosine and yellow for Diesel.

Product	Description
66101	1 quart Galvanized
66102	2 quarts Galvanized
66103	1 gallon Galvanized
66104	2 gallons Galvanized
66105	5 gallons Galvanized
66106	2.5 gallons Steel
66107	5 gallons Steel
66108	3 gallons Poly
66109	5 gallons Poly



Type II Cans

Product	Description
66110	2 gallons Galvanized
66111	5 gallons Galvanized



Specialty Use Cans



Lab Cans

Available in poly, metal or stainless steel

Product	Description
66120	1 gallon
66121	poly .5 gallon
66122	poly 1 gallon



Faucet Cans

Available with brass, oil gate or stainless steel faucet

Product	Description
66123	5 gallons (br)
66124	5 gallons (ss)



Plunger Cans

Available in poly and metal.

Product	Description
66125	1 quart
66126	2 quarts
66127	4 quarts



Bench/Daub Cans

Product	Description
66128	1/2 pint
66129	1 quart
66130	2 quarts
66131	4 quarts
66132	6 quarts
66133	8 quarts




DOT Transport Cans

Available with 1" O.D. Spout or 5/8" O.D. Spout

Product	Description
66134 (1")	5 gallons
66135 (5/8")	5 gallons

Oilers & Waste Cans




Pump Oilers

Product	Description
66120	1 gallon
66121	poly .5 gallon
66122	poly 1 gallon



Oilers

Product	Description
66123	5 gallons (br)
66124	5 gallons (ss)



Hydraulic Pump Oilers

Product	Description
66125	1 quart
66126	2 quarts
66127	4 quarts



Poly Waste Cans

Product	Description
66128	1/2 pint
66132	6 quarts
66133	8 quarts



Steel Waste Cans

Product	Description
66134 (1")	5 gallons
66135 (5/8")	5 gallons

Storage



Horizontal Storage Tanks



Horizontal Leg Tanks

Product	Size	Capacity
66200	13" x 27"	15 gal
66201	23" x 20"	30 gal
66202	19" x 29"	33 gal
66203	23" x 39"	60 gal
66204	23" x 48"	82 gal
66205	30" x 49"	125 gal
66206	32" x 51"	165 gal
66207	38" x 52"	230 gal
66208	34" x 64"	250 gal
66209	38" x 72"	300 gal
66210	38" x 78"	325 gal
66211	44" x 56"	335 gal
66212	40" x 69"	368 gal
66213	48" x 75"	525 gal
66214	47" x 87"	600 gal
66215	54" x 80"	730 gal
66216	46" x 117"	750 gal
66217	55" x 93"	900 gal
66218	62" x 76"	925 gal
66219	46" x 154"	1000 gal
66220	78" x 90" x 52"	1035 gal
66221	55" x 125"	1200 gal
66222	62" x 114"	1300 gal
66223	61" x 159" x 62"	1685 gal
66224	82" x 159" x 69"	2600 gal
66225	92" x 142" x 76"	3000 gal
66226	82" x 154" x 86"	3400 gal



Horizontal Saddle Tanks


Product	Size	Capacity
66300	23" x 19"	25 gal
66301	23" x 38"	55 gal
66302	30" x 50"	110 gal
66303	30" x 60"	150 gal
66304	32" x 56"	150 gal
66305	32" x 71"	200 gal
66306	38" x 72"	300 gal
66307	42" x 70"	400 gal
66308	48" x 75"	500 gal
66309	54" x 82"	720 gal
66310	65" x 87"	1000 gal



Rectangular Tanks

Product	Size	Capacity
66320	25" x 19" x 22"	30 gal
66321	38" x 19" x 20"	50 gal
66322	38" x 30" x 26"	100 gal
66323	48" x 36" x 25"	150 gal
66324	48" x 36" x 35"	200 gal
66325	69" x 38" x 35"	325 gal

Double Wall Bulk Tanks



Product	Size	Capacity
66400	33" x 49"	120 gal
66401	76" x 65"	550 gal
66402	76" x 103"	1100 gal
66403	76" x 136"	1550 gal
66404	102" x 102"	2000 gal
66405	102" x 121"	2500 gal
66406	102" x 141"	3000 gal
66407	102" x 158"	3500 gal
66408	102" x 178"	4000 gal
66409	102" x 197"	4500 gal
66410	102" x 216"	5000 gal
66411	120" x 172"	5500 gal
66412	120" x 199"	6500 gal

Vertical Storage Tanks



Closed Top Tank

Available from 20 gallons to 6000 gallons. Please call for details.



Open Top Tank

Available from 6 gallons to 6800 gallons. Please call for details.



Open Top Tank with Cone Bottom

Available from 55 gallons to 500 gallons. Please call for details.



Above Ground Steel Tanks



Recycoil

A double containment tank designed for the safe and convenient handling of used oils or other hazardous liquids.

Product	Size	Capacity
67100	42" x 72"	275 gal
67101	66" x 72"	550 gal
67102	66" x 96"	990 gal

RECTANGULAR:

67103	72" x 48"	250 gal
67104	72" x 72"	500 gal



Fuel Vault

A double containment above ground storage tank designed for the safe and convenient handling of flammable and combustible liquids.

Product	Size	Capacity
67110	72" x 41"	275 gal
67111	72" x 70"	550 gal
67112	96" x 70"	1,000 gal
67113	96" x 114"	2,000 gal
67114	116" x 114"	3,290 gal



Fireguard

An above ground protected, fire rated, ballistics tested storage tank designed for the safe and convenient handling of flammable and combustible liquids.

Available from 250 gal to 11,300 gal.



Vacu Vault

A double containment, vacuum monitored, above ground storage tank designed for the safe and convenient handling of flammable and combustible liquids.

Available from 295 gal to 20,000 gal.

Underground Steel Tanks



Total Containment Tank

Designed for storage at atmospheric pressure of flammable and combustible liquids. Strong, tough, and durable both during and after installation.

Capacities: 2,550L to 125,000L



Total Containment Tank

Underground secondary containment for the petroleum industry (upstream & downstream).

- superior corrosion protection
- built-in monitoring column for continuous electronic monitoring system or periodic manual monitoring
- compatible with many liquid fuels and chemicals
- various backfill options
- tank sumps available

Capacities: 2,554L to 51,582L

Water Storage Tanks



Narrow Water Tank

Product	Size	Capacity
66240	30" x 50" x 62"	315 gal
66241	30" x 63" x 62"	424 gal



Low Profile Water Tank

Product	Size	Capacity
66260	72" x 48" x 20"	215 gal
66261	72" x 20" x 48"	215 gal
66262	102" x 60" x 12"	220 gal
66263	96" x 48" x 25"	360 gal
66264	102" x 60" x 30"	630 gal
66265	150" x 90" x 26"	1200 gal
66266	149" x 88" x 33"	1380 gal
66267	149" x 88" x 45"	2000 gal
66268	152" x 91" x 49"	2342 gal



Sewer & Drain Products



Drain Plug

Flexible polyurethane material resists oil, water and most aggressive chemicals, prevents contaminants from entering drain.

Product	Description
68001	2" diameter
68002	3" diameter
68003	4" diameter
68004	3 plug kit



Spill Berm

Flexible polyurethane material "weeps" into small cracks and crevices to seal off liquid flow.

Product	Description
68020	10' x 4" x 2 1/4"
68021	10' x 2 1/4" x 1 3/8" low profile
68022	4' x 1" x 3/4" table top
68023	Corner
68024	Connector



Drain Seals

Flexible polyurethane material with reinforced tear-resistant mesh, resists oil, water and most aggressive chemicals.

Product	Description
68005	18" x 18"
68006	24" x 24"
68007	36" x 36"
68008	48" x 48"

Custom sizes available.



Sewer & Drain Cover

Neoprene material, in various sizes and thicknesses..

Product	Description
AF35	36" x 36"

Custom sizes available.



Curb Guard

Product	Description
68009	4" x 6'
68010	4" x 8'
68011	4" x 10'
68012	4" x 12'
68013	4" x 14'



Grate Guard

Product	Description
68025	18" x 24"
68026	24" x 24"
68027	28" x 28"
68028	30" x 32"
68029	24" x 36"
68030	24" x 40"
68031	24" x 48"



Drain Guard

Product	Description
68014	Oil & Sediment Model
68015	Oil & Sediment Plus Model
68016	Trash & Debris Model



Basin Guard

Product	Description
68032	36" diameter for 24" x 24"
68033	4' x 6'

Sewer and Drain Covers, Guards, Seals and Berms come in a variety of standard sizes. However, custom sizes are available upon request.

**Please contact us with your needs!
Call 1-800-465-SORB**



Popup Pools, Port-A-Tanks and Haz-Tanks



Popup Pools

Product	Description
68035	20 gallon
68036	66 gallon
68037	100 gallon
68038	150 gallon



Port-A-Tank

Collapsible, heavy gauge, tubular steel frame with a tough vinyl coated polyester face-on liner.

Product	Size
68100	1000 gallon
68101	1500 gallon
68102	2000 gallon

Custom sizes and replacement parts available



Popup Pool Container



Haz-Tank

Collapsible, heavy gauge, tubular steel frame with an oil and chemical resistant XR-5 vinyl coated polyester liner.

Product	Size
68105	1000 gallon
68106	1500 gallon
68107	2000 gallon

Custom sizes and replacement parts available

Leak Products



Epoxy Repair Putty

Product	Description
50007	Case of 12



Gap Seal

Product	Description
34012	1 lb, dry mix
34013	2 lbs, dry mix
34015	3 lbs, dry mix
34016	50 lbs, dry mix pail
34014	1 lb, pre-mixed



Drum and Tanker Tourniquets

Product	Description
68040	Magnetic Drum Tourniquet
68041	Universal Drum Tourniquet
68042	Magnetic Tanker Tourniquet
68043	Suction Tanker Tourniquets



Leak Diverter

Product	Size
68045	5' x 5'
68046	7' x 7'
68047	10' x 10'
68049	12' x 12'
68050	15' x 15'
68051	20' x 20'

Decon Shower



Decon Shower

Product	Description
68060	150 gallons

Spill Response Vacuum



Spill Response Vacuum

Easy-to-use and highly reliable, the Q-VAC™ 100 pumps liquid directly into a standard drum for convenient storage or recycling. A liquid overflow shutoff valve ensures vacuum automatically turns off when drum is full. Works on Shop Air.

Spill Response



Skimmers



Oil Grabber 4 & Oil Grabber 8

- A single unit elevates and separates oil at a rate up to 20 gph (40 gph for Oil Grabber 8)
- Lifts oil up to 100' without the need of expensive pumps
- Maintains skimming efficiency with fluctuating fluid level
- Can be used in depths as shallow as one foot
- Requires no tank modifications in most applications
- Operates in turbulent liquid using optional tail pulley cage and tether assembly
- Easy mounting and fast cleaning, with minimal maintenance

Product	Description
21008	Oil Grabber 4
21009	Oil Grabber 8



Mighty Mini SST

- Smallest and lightest Abanaki skimmer - weighs about six pounds
- Oil removal rates up to 2.0 gph
- Designed for tank depths from 6" to 24" (15.2 cm to 61.0 cm)
- Belt and tail pulley can fit through a 2" (5.1 cm) diameter bung hole
- Great for automotive and mobile equipment service shops
- Stainless steel construction
- Integrated 24 hour timer

Product	Description
21000	1" Mighty Mini
21001	2" Mighty Mini



Tote-It

- Lightweight for portability; approximately 36 pounds
- Can be installed permanently in limited access areas
- Oil removal rates up to 12 gph (45 lph)
- Standard length is 5' center to center (10' maximum)
- For medium duty applications; parts washers, tanks, etc.

Product	Description
21002	1" Tote-It
21003	2" Tote-It
21004	4" Tote-It



Oil Boss

- Skims up to 16 gph
- Completely constructed of Stainless Steel
- Drive unit is completely covered
- Comes with a pilot light and on/off selector
- Easily decontaminated

Product	Description
21007	4" Oil Boss



Corrosion Resistant Steel

One of our most popular belt materials. Works well in most industrial applications where rust inhibitors are not a component of the wash water.



Carbon Steel

A special application belt material for continuous use. Consult factory representative for more information.



Elastomer


Can handle abrasive and harsh environments. Used where rust inhibitors are a component of the wash water.



Standard Polymer

Reinforced to resist stretching, able to withstand reasonably high temperatures (up to 170°F), and textured to retain a small amount of oil thus drawing

more oil to itself on subsequent passes. Used where rust inhibitors and temperature are a component of the wash water or where UV sensitivity is an issue. Picks up some emulsified oils.



EP Polymer

Same as Standard Polymer but with enhanced texturing to help collect heavy greases. Consult factory representative for more information.



HT (High Temp) Polymer

Similar to the Standard Polymer but for higher temperature applications (up to 212°F continuous, 300°F intermittent). Also used when a smoother surface is required.



SG (Static Guard) Polymer

A special application belt material that dissipates static. Consult factory representative for more information.



LFO (Fuzzy Belt™) Polymer

Exceptional performance on light, non-viscous hydrocarbons, such as gasoline, where rate of recovery is an important factor. Resists stretching.



Skimmers



PetroXtractor - Well Oil Skimmer

- Used primarily for groundwater remediation through monitoring and remediation wells
- Works for LNAPL's and some DNAPL's (coal tar, #6 fuel, etc.)
- Options include: explosion proof setup, below grade mounting kits, timer, housing 55 gallon drum shutoff switch and air motors

Product	Description
21010	2" PetroXtractor
21011	4" PetroXtractor
21012	6" PetroXtractor



Grease Grabber

- Abanaki's most rugged unit
- Works for both greases and oils
- Grease removal rates up to 160 gph (606 lph)
- Designed for extremely demanding environments
- Suitable for outdoor drainage pits in primary metal mills
- Optional boom mast mount with swing arm for large pits and tanks
- Integral 700W heater keeps skimmed grease fluid for easy discharge

Product	Size
21013	8" Grease Grabber

Coolant Maintenance Products



Mighty Disk

The inexpensive way to remove unwanted tramp oils from coolants and parts washers, but with all the quality that you expect from Abanaki! Effective. Removes up to 1 1/2 gallons of oil or more of medium weight oil per hour. Compact.

Product	Description
21109	12" Mighty Disk
21110	18" Mighty Disk



Tube Tastic

The Abanaki TubeTastic! oil skimmer can be used on machining centers with little or no access to the coolant sump from above. This unit can skim oil from chip conveyors or even totally enclosed machining centers.

Product	Description
21105	6" Tube Tastic
21106	12" Tube Tastic
21107	18" Tube Tastic
21108	24" Tube Tastic



Cooler Coolant Refresher

The Abanaki Cooler is a must for any machine shop dealing with machine tool coolant. This unit will extend coolant life, reduce disposal costs, eliminate down time, improve tool life and help prevent dermatitis.

- Leak proof fittings
- Crush resistant hose
- One year warranty
- Self contained system
- Coalescing cartridge never needs to be replaced

Product	Description
21100	Cooler



Coolant Mints

Put an end to that nasty rotten egg smell.

- Safe to handle and easy to use
- Eliminates coolant odors immediately by neutralizing hydrogen sulfide gases
- No disposal problems
- Contains no formaldehyde
- Safer and less expensive than biocides

Product	Description
21101	Coolant Mints (tube of 15)



Aerator

- Prevents anaerobic bacteria from building up and spreading
- Extends coolant life
- Eliminates the "rotten egg" smell

Product	Description
21102	1200 cc/min Aerator
21103	5000 cc/min Aerator



Fluorescent Tubes

The BULB EATER Mark 2000

Safety

The Bulb Eater Mark 2000 safely disposes of spent fluorescent tubes at the replacement site, and contains all materials in a removable heavy-duty plastic bag, for easy and safe pickup by licensed hazardous waste recyclers, or for easy transportation to hazardous waste sites, recycling centres and landfills.

Storage

The Bulb Eater Mark 2000 safely reduces the storage requirements of spent lamps dramatically, by means of volume reduction. The Mark 2000 is completely portable and can be used in the most constricted refineries.

Disposal

The Bulb Eater Mark 2000 safely contains inside the unit, in a clear, heavy-duty, replaceable plastic bag, the contents of up to 60 crushed fluorescent tubes. The bag can easily and safely be removed for pick up by, or transported to hazardous waste centres or recycling facilities. The Bulb Eater Mark 2000 also comes equipped with a two stage looped carbon absorption filtration system making it the most advanced and environmentally safe crushing unit in the marketplace.



Mark 2000 Bulb Eater fluorescent tube crusher


- Construction: durable, corrosion resistant painted metal frame.
- Motor: enclosed, heavy duty fan cooled 115 volt 60 hz UL/ENTELA -CE marked approved (can be equipped to meet all electrical standards)
- Height- 39" Width- 21" Length- 24" Weight- 88Lbs
- Casters rear-5", Casters front-2"
- Crushing Capacity- 60 4ft lamps or 30 8ft lamps
- Particle /carbon filter- 1200 crushed tubes capacity before replacing.
- Mercury / hepa filters (2) - 1200 crushed tubes capacity before replacing.
- Bag- 6 mil poly disposal bag 26"x 40"
- Revolutionary designed looped filtration system
- Built in weight sensor preset to shut down the unit when the bag is full and meet the preset weight.
- Completely enclosed system eliminates any potential exposure.
- Heavy duty beater assembly withstands high volume crushing.
- Luminated weight sensor & on /off light switch indicators
- Patent: Canada, Japan, USA, Europe - Patent Pending



Fluorescent Tube storage drum/box

- Fiber drum holds 110 tubes
- Reusable
- Fiber drum has Individual spiral cells
- Ideal for handling prior to destruction

Product	Description
	Fiber drum for 4' lamps
	Fiber drum for 6-8' lamps
	Lamp case for 4' lamps



Mark 2000 DM Drum Mount tube crusher

- Construction: durable, corrosion resistant painted metal frame.
- Motor: enclosed, heavy duty fan cooled 115 volt 60 hz Entela -CE marked approved (can be equipped to meet all electrical standards)
- Height- 44" Width- 24" Length- 34" Weight- 90Lbs
- Casters rear-5", Casters front-2"
- Crushing Capacity- 1000 4ft lamps or 500 8ft lamps per drum
- Particle /carbon & mercury filter- 15,000 crushed tubes capacity before replacing.
- Bag- 6 mil poly disposal bag 35"x 50"
- Revolutionary designed enclosed looped filtration system, which eliminates any mercury exposure to the operator.
- It has a built in weight sensor preset to shut the unit down when the drum is full.
- Heavy duty beater assembly that can with stand high volume crushing.
- Luminated weight sensor & on /off light switch indicators



Aerosolv / Prosoolv Can Recycler



Aerosolv Recycler

The Aerosolv® puncturing unit threads directly to the 2" bung of any 30-gallon or 55-gallon drum. Simply insert an inverted aerosol can into the Aerosolv® unit and lock the sliding top plate. With a press of the handle, a carbide-tipped puncture pin pierces the dome of the can.

Product	Description
25016	Aerosolv recycler



Prosoolv Recycler

Removes the sealing sleeve and internal valve stem from the propane, propylene, mapp and calibration gas cylinders, empties and filters propellant, allows recycling of empty cylinder as scrap steel.

Product	Description
25028	Prosoolv recycler

Oil Filter Crusher



Oil Filter Crusher

Turns oil filters into recyclable scrap metal, reducing disposal cost. Accepts filters from 8" to 20" high. 31,000 to 70,000 lb of crushing force, cycle time is 35 seconds.

Product	Description
25015	Heavy truck filters Automotive filters Industrial filters



WCL Compactor

Crushes oil filters, cans, pails, cartridge filets. Compaction ratio 8:1. Reduces disposal costs.

Product	Description
25014	8,000 lbs force crusher 12,000 lbs force crusher 16,000 lbs force crusher

Drum / Can Crushers



Drum Crusher/Packer

- Two-speed hydraulic pump provides 37,000 pounds of crushing force
- An emergency stop button shuts off all power at a touch. A safety interlock automatically shuts off the hydraulic power when the door is not completely closed
- The bottom has a build in skid for easy fork lift portability.

Product	Description
	Drum crusher



Can Crusher

- Two-speed hydraulic pump provides 30,000 pounds of crushing force
- Units will not operate with the door open. These crushers are completely explosion proof and a suitable for use with solvent based paints and others flammable liquids.

Product	Description
	Can crusher

Cubic Yard Tote Compactor



Cubic Yard Tote Compactor

- Up to 6 to 1 compaction ratio
- Maximizes the weight per box
- Light enough to be mobile
- Interchangeable plates for drums
- Cuts disposal costs
- Custom sizes available

Product	Size
	Standard Size

Custom sizes available

Absorbent Wringer
















Wringer

Reclaim fluids and get more use out of our absorbents. Extractor PRO can be adjusted for socks and booms. Optional motor drive.














Product	Size
	Extractor standard
	Extractor PRO
	Extractor motor drive

Industrial Rubber







Air Hose		Description	Temperature	Size	Application
 28000	Contramine	Yellow and abrasion resistant rubber cover 300 psi	-40 °C to 85 °C (-40 °F to 185 °F)	1/2" to 4"	For mining, construction and industrial use where 400 PSI service is not required
 28001	Extra Pressure	Yellow cut and abrasion resistant rubber cover c/w blue stripe 400 psi	-40 °C to 85 °C (-40 °F to 185 °F)	1/2" to 4"	A premium quality mining, construction and industrial use
 28002	Wire Reinforced Air	Yellow cut and guage resistant rubber cover . Reinforced with high tensile steel wire.	-40 °C to 85 °C (-40 °F to 185 °F)	1/2" to 4"	High pressure air service for mining, construction and industrial use.
 28003	Jackhammer	Smooth yellow cut and abrasion resistant rubber cover. Up to 700 ft.	-40 °C to 82 °C (-40 °F to 180 °F)	1/2" to 1"	A long length air hose for construction and general industry.
General Purpose Hose		Description	Temperature	Size	Application
 28004	Multi-Purpose	Smooth red abrasion resistant EPDM synthetic rubber tube and cover	-40 °C to 82 °C (-40 °F to 180 °F)	1/4" to 2"	Air, water, agricultural spray solutions and other diluted chemicals. Good resistance to heat, weathering and vegetable oils.
 28005	Premium Multi Purpose	Smooth red nitrile oil, grease, weather and abrasion resistant cover, non-conductive	-40 °C to 82 °C (-40 °F to 180 °F)	1/4" to 1-1/2"	A premium quality long length hose for oil based sprays, gasoline, lubricating oils, air, hot water and some chemicals. This hose is non-conductive.
 28006	Push-on Hose	Black, blue, grey, green, yellow, or red oil resistant neoprene cover	-40 °C to 93 °C (-40 °F to 200 °F)	1/3" to 3/4"	Oil resistant hose for use with push-on fittings.
 28007	Clear Reinforced PVC	Clear smooth reinforced PVC, FDA approved	-40 °C to 65 °C (-40 °F to 150 °F)	3/16" to 2"	Air, drinking water, mild chemicals & alkalis. Compounds comply with FDP standards, NSF certified under standard NSF51.
Water Discharge Hose		Description	Temperature	Size	Application
 28008	Contractors Water Long Length	Black smooth EPDM tube and cover. Available up to 700 feet.	-40 °C to 82 °C (-40 °F to 180 °F)	1/2" to 1-1/2"	For use on construction sites and general water service.
 28009	Contractors Water Discharge	Black wrapped cover. Available in maximum lengths of 100 feet.	-32 °C to 82 °C (-25 °F to 180 °F)	1-1/4" to 12"	For use on construction sites and general water service.
 28010	Contraflex	Black abrasion, oil & weather resistant nitrile rubber. Available in 300 feet lengths.	-17 °C to 82 °C (0 °F to 180 °F)	1-1/2" to 8"	This light weight flexible hose is designed as a pump discharge hose for water, oil contaminated water and mild chemicals.
 28011	Blue PVC Layflat	Reinforced blue PVC discharge hose.	-21 °C to 54 °C (-5 °F to 130 °F)	1-1/2" to 10"	A light duty hose for portable pump and irrigation use. Hose folds flat for ease or coiling & handling.
 28012	Brown High Pressure PVC Layflat	Reinforced brown PVC discharge hose. For more demanding operations.	-21 °C to 54 °C (-5 °F to 130 °F)	1-1/2" to 8"	This is a rugged version of our blue PVC layflat hose, designed for use where higher working pressures are required.











Water Suction Hose		Description	Temperature	Size	Application
 28013	Rubber Water Suction	Black abrasion resistant synthetic rubber tube and cover, t/w wire helix	-32 °C to 82 °C (-25 °F to 180 °F)	3/4" to 10"	A heavy duty rubber suction hose for construction, quarries and general use. Suitable for full vacuum.
 28014	PVC Suction and Discharge	Clear PVC with excellent weather & abrasion resistance, c/w green PVC helix.	-20 °C to 70 °C (-4 °F to 150 °F)	3/4" to 8"	For construction pumps, eptic tank & marine pump out service, mining and quarry use. PVC is resistant to some chemicals.
 28015	EPDM Water Suction	Black EPDM c/w green polyethylene helix. Excellent low temperature characteristics.	-40 °C to 70 °C (-40 °F to 158 °F)	1" to 6"	Lightweight & flexible with abrasion resistant cover for agricultural chemicals, septic service and general industrial use.
 28016	220RS	Black smooth abrasion resistant synthetic rubber c/w rigid PVC helix.	-40 °C to 70 °C (-40 °F to 158 °F)	1/2" to 1"	A light weight & kink resistant hose designed for rough construction applications. Very flexible. Full vacuum.
Steam & Washdown Hose		Description	Temperature	Size	Application
 28017	Papermill Washdown	Green rubber cover washdown hose c/w built-on tapered nozzle.	-35 °C to 95 °C (-31 °F to 203 °F)	3/4" to 1-1/2"	Suitable for hot or cold water washdown service in papermills. Hose incorporates an integral built-on corrugated tapered rubber nozzle.
 28018	Hot Water Wash Up	Smooth white high temperature EPDM.	-35 °C to 93 °C (-31 °F to 200 °F)	1/2" to 3/4"	For general clean-up and hot water washdown service up to 93 °C at 50 PSI in dairies, meat packing houses, creameries, food processing and bottling plants.
 28019	Wire Reinforced	Red high temperature heat resistant EPDM rubber c/w wire reinforcement.	208 °C (406 °F)	1/2" to 2"	An extremely flexible hose for use with saturated steam at temperatures of u to 208 °C. Not suitable for superheated steam.
 28020	Fiberglass Steam	Red heat & weather resistant EPDM. This hose is non-conductive.	170 °C (338 °F)	1/2" to 2"	For use with saturated steam up to 100 PSI 170 °C. For thawing, washdown at papermills & food plants. Non-conductive
Petroleum & Chemical Hose		Description	Temperature	Size	Application
 28021	Petroleum Drop Hose	Black nitrile cover c/w abrasion resistance orange helix & static wire.	-34 °C to 60 °C (-30 °F to 140 °F)	2" to 4"	This hose is engineered with a nitrile tube and cover for the pressure, gravity flow or suction movement of gasoline and petroleum based products.
 28022	Tank Truck	Black cover, gasoline & oil resistant nitrile with blue stripe.	-35 °C to 82 °C (-31 °F to 180 °F)	3/4" to 6"	An all purpose suction and discharge hose for gasoline, distillate, kerosene, diesel oil suspensions and emulsions. Also use for hydraulic return line.
 28023	UHMW Chemical Suction	Chemical and abrasion resistant green EPDM cover, UHMW tube c/w yellow stripe.	-40 °C to 71 °C (-40 °F to 160 °F)	1" to 3"	The UHMW tube provides an extremely flexible chemical suction and discharge hose that will handle 98% of all common industrial chemicals.
 28024	All Chemical	Green smooth EPDM chemical resistant rubber cover c/w XLPE tube.	-29 °C to 66 °C (-20 °F to 150 °F)	3/4" to 4"	The cross-linked polyethylene tube will handle 90% of known chemicals & petroleum products in both suction and discharge applications.
 28025	Agricultural Spray	Grye, yellow or green ribbed cover.	-10 °C to 70 °C (15 °F to 160 °F)	3/8" to 3/4"	For spraying or transfer of aqueous or petroleum based herbicides and insecticides such as Lassa. Cover is pin-pricked to vent vapour.

Industrial Rubber














Material	Description	Temperature	Size	Application
 28026	Sandblast Black static conductive synthetic rubber. Highly abrasion resistant tube.	-35 °C to 82 °C (-31 °F to 180 °F)	1/2" to 3"	For conducting sand, steel & other abrasives for blast cleaning.
 28027	Tan Bulkmaster Tan corrugated pure gum cover & tube, non-marking.	-35 °C to 82 °C (-31 °F to 180 °F)	2" to 6"	For transfer of dry, non-oily abrasive materials such as sand, limestone, plastic pellets, sugar, corn etc. under pressure or vacuum.
 28028	Corrugated Material Conducting Black abrasion resistant synthetic rubber cover corrugated to match internal corrugations.	-35 °C to 82 °C (-31 °F to 180 °F)	2" to 12"	Designed for abrasive discharge and suction service. Split flanged couplings, which can be installed without special tools..
 28029	180AR Lightweight, flexible, abrasion resistant SBR cover.	-40 °C to 70 °C (-40 °F to 158 °F)	1-1/2" to 8"	Suction and discharge of dry materials such as sand, crushed rock, cement, etc. Suitable for full vacuum.

Food Hose	Description	Temperature	Size	Application
 28030	Edible Liquid Food Suction Grey nitrile cover c/w red stripe and FDA white nitrile tube.	-35 °C to 82 °C (-31 °F to 180 °F)	1-1/2" to 4"	For handling most liquid food products including fats & oils without importing taste or odour. Full vacuum.
 28031	Brewers Hose Red nitrile cover c/w yellow stripe and FDA white nitrile tube.	-35 °C to 82 °C (-31 °F to 180 °F)	3/4" to 2"	For handling beer, wine, fruit juice where taste & aroma must not be affected. The extremely smooth tube resists the collection of bacteria.
 28032	Clear Vacuum Crystal clear OVC c/w wire helix, manufactured in compliance to applicable FDA requirements.	-4 °C to 65 °C (25 °F to 160°F)	1/4" to 2"	Where full vacuum & a clear non-collapsible hose is required; can be used for milk, beverages & pharmaceuticals.
 28033	Corrugated Food Suction FDA approved corrugated PVC cover c/w clear helix.	-20 °C to 65 °C (-4 °F to 150 °F)	1" to 6" 45 mm 57 mm	Can be used for any liquids or dry materials for human consumption. Meets FDA requirements. Full vacuum.
 28034	Smooth Food Suction FDA approved smooth PVC cover c/w clear helix.	-20 °C to 65 °C (-4 °F to 150 °F)	3/4" to 6"	Can be used for any liquids or dry materials for human consumption. Meets FDA requirements. Full vacuum.
 28035	Corrugated Food Suction with static wire FDA approved corrugated PVC cover c/w cleat helix & static wire.	-20 °C to 65 °C (-4 °F to 150 °F)	1-1/2" to 4" 45 mm 57 mm	Pneumatic conveying system for powder or granular materials. Paper mill vacuum lines (for pneumatic system dry material only). Not recommended for liquids.












Tubing	Description	Temperature	Size	Application
 28036	PVC Tubing FDA approved vinyl tubing.	-4 °C to 65 °C (25 °F to 150 °F)	1/8" to 2"	For handling beverages, food stuffs and liquids where clarity, flexibility and a food grade compound are required.
 28037	Polyethylene Tubing Low density extruded polyethylene tubing offers excellent resistance to stress cracking.	-45 °C to 60 °C (-50 °F to 140 °F)	1/8" to 1/2"	Used as an instrumentation tubing and as transmission lines for air, liquids, and gases. Non corrosive, odourless and tasteless. Milky white colour.



Tubing		Description	Temperature	Size	Application
	Self Storing Nylon	Self-retracting nylon air hose.	-40 °C to 77 °C (-40 °F to 170 °F)	1/4" to 3/4"	Extruded premium quality nylon resistant to lube oils, fuel, hydraulic fluids, common solvents, minerals & organic acids.
28038					
	Self Storing Urethane	Self-retracting Polyurethane air hose. Available in clear and blue.	-18 °C to 85 °C (0 °F to 140 °F)	1/4" to 3/8"	Premium quality, highly abrasion resistant, kink resistant and non-marking. Superior oil resistance, complies with RMA class B designations.
28039					
Automotive Hose		Description	Temperature	Size	Application
	Garage Exhaust	Corrugated hose c/w interlocking cuffs.	Up to 190 °C (Up to 375 °F)	2" to 5"	A non-crushable heavy duty exhaust hose made of specially compounded rubber to resist heat, aging, gasoline exhaust fumes and oil.
28040					
	Metal Lock Section Hose	Fully interlocked galvanized steel.	-40 °C to 177 °C (-40 °F to 350 °F)	2" to 7"	Automotive exhaust, ventilating ducting, moderate suction lines, duct collecting, air blower ducting.
28041					
	Silicone Heater	Blue heat and weather resistant silicone c/w red tube.	-54 °C to 177 °C (-65 °F to 350 °F)	3/8" to 1"	A high temperature heater hose used in hostile engine environments, or other industrial applications where temperature is a factor. Meets SAE J20E R3 class A
28042					
	Silicone Coolant	Blue heat and weather resistant silicone c/w red tube. 4 ft legnth.	-54 °C to 177 °C (-65 °F to 350 °F)	1" to 4"	A coolant hose designed for use in areas of high temperatures, meets SAE J20 R1 class A(1994).
28043					
	Fuel Line & Vapour Emission	Black hypalon, resistant to oil, grease & ozone.	-40 °C to 82 °C (-40 °F to 180 °F)	1/4" to 5/8"	For conveying fuel in automobiles, trucks, buses, etc. SAE30R7 Type B USCG approved fuel line hose. Not for marine use with alcohol blended fuels.
28044					
Miscellaneous Hose		Description	Temperature	Size	Application
	Twin Line Welding	Abrasion and weather resistant twinline oxygen and acetylene welding hose.	-29 °C to 93 °C (-20 °F to 200 °F)	3/16" to 8/8"	Grade R, RM and T available. For use with fuel gases and oxygen. Green & red.
28045					
	Single Line	Corrugated single line welding hose0green for oxygen, red for fuel gases.	-29 °C to 93 °C (-20 °F to 200 °F)	3/16" to 3/8"	For use with fuel gases and oxygen. Green or red.
28046					
	Marine Exhaust	Black cover with blue stripe, available in soft-wall and hardwall.	Up to 100 °C (Up to 212 °F)	1/2" to 6"	All hoses made to USCG specifications. Minimum burst on all sizes is 180PSI. Recommended for working temperatures of up to 212 °F. For wet exhaust in pleasure craft marine engine applications.
28047					
	Mill Discharge	White 100% polyester single jacket with 2 green and 1 red stripe.	-32 °C to 85 °C (-25 °F to 185 °F)	1-1/2" to 2-1/2"	A very economical pump discharge and washdown hose. Not approved for Fire Fighting Service.
28048					


Industrial Rubber



Flexaust	Description	Temperature	Size	Application
 28049	CW-GP-Ducting An all-purpose ducting formed of double-ply black neoprene polyester with spring wire helix.	-40 °C to 121 °C (-40 °F to 250 °F)	1" to 24"	Good low pressure air handling, fume control and dust collection applications.
 28050	FSP-1 Ducting Single-ply polyester-reinforced vinyl for moisture resistance c/w external orange wearstripe.	-29 °C to 70 °C (-20 °F to 160 °F)	4" to 12"	Designed for air and fume movement. Chemical and abrasion resistant.
 28051	T-7 TPR Ducting SANTOPRENE Thermo plastic rubber hose (TPR) c/w external yellow wearstripe.	-45 °C to 135 °C (-50 °F to 275 °F)	2" to 24"	Medium weight wall provides optimum resistance to abrasion. Suited for extreme moisture and broad chemical applications.
 28052	BDS Silicone Ducting A light-duty, single ply silicone ducting. Red in colour.	-54 °C to 260 °C (-65 °F to 500 °F)	1-1/2" to 6"	Suited for air handling applications at low pressure. Designed for both high and low temperature extremes.
 28053	Flex-Lok SF Single ply silicone coated fiberglass fabric with galvanized steel wearstrip.	-54 °C to 288 °C (-65 °F to 550 °F)	3" to 12"	Perfect for applications that require an extremely flexible duct for high temperature fumes. Ideal for vehicle exhaust system with external abrasion.
 28054	R2 PVC Blue Mode of blue/grey medium wall PVC, reinforced with spring steel wire helix.	-13 °C to 71 °C (10 °F to 160 °F)	1-1/4" to 16"	Good for positive pressure and light vacuum applications. Combines extreme flexibility with tight bending characteristics.
 28055	R3 PVC Clear FDA Made of clear heavy wall PVC, reinforced with spring steel wire helix. FDA approved.	-7 °C to 71 °C (20 °F to 160 °F)	1-1/2" to 16"	Suitable for positive and negative pressure. Smooth inner surface assures minimal pressure drop and friction loss. Clear PVC conforms to Title 21 FDA.
 28056	FLX-THANE Extreme flexibility, with medium-wall polyurethane hose construction reinforced with a spring steel wire helix.	-54 °C to 107 °C (-65 °F to 225 °F)	2" to 12"	For duct or lightweight materials handling. Highly abrasion resistant.
 28057	SD-W Single ply neoprene coated polyester, wire reinforced, compressible to 1/16th is length.	-54 °C to 121 °C (-65 °F to 250 °F)	4" to 48"	Ideal for moving large volumes of air in portable or permanent ventilation/exhaust systems.
 28058	HT SANTOPRENE Heavyweight Thermo-plastic Rubber (TPR) walled hose. True rubber-like qualities. Fine electrical properties.	-45 °C to 135 °C (-50 °F to 275 °F)	1-1/2" to 16"	Suitable for more demanding positive and negative pressure applications. Resistance to abrasion, ozone, UV rays, chemicals and weathering.
 28059	CWC-W Double ply neoprene impregnated high-strength fabric construction. Spring steel wire helix, c/w external wearstrip.	-40 °C to 121 °C (-40 °F to 250 °F)	4" to 18"	Leaf collection and lawn vacuuming. Excellent abrasion resistance and flex-life. High strength to weight ratio.



Conveyor Belting



- PVC 120**
- PVC 150**
- 3 Ply White Nitrile**
- Package Belt**
- Cleated PVC Incline**
- Rubber Rough Top**
- Transmission Belt**
- Heavyweight**
- 140**
- 220**
- 330**
- 440**

Sheet Rubber

- Two grades available**
- North American produced
- Internationally produced
- SBR, Neoprene, Nitrile, EPDM,**
- Hypalon, Chute & Launder Lining,**
- Viton, Silicone, Neoprene**
- Diaphragm, Pure Gum, C.I. Packing,**
- Red Sheet Packing, Butyl, Closed**
- Cell Sponge, Urethane Sheet,**
- Durashield**



Floor Matting



- Wide Rib**
- Fine Rib**
- Staminizer**
- Hex Mats**
- Switchboard**
- Diamond Top**

This is just a small selection of the hoses and tubing, matting and belts that we carry. Please contact us with your needs!

Safety Products - Respirators



3M Class 95 Particulate Respirators



8110S N95
Particulate Respirator for people with smaller faces

- Solids
- Liquids
- 20 per box



8210 N95
Particulate Respirator

- Solids
- Liquids
- 20 per box




8211 N95
Particulate Respirator

- Solids
- Liquids
- 10 per box



1860S N95
Small size Health Care Particulate Respirator Type N95

- Cone moulded
- Teal



1860 N95
Regular size Health Care Particulate Respirator Type N95

- Cone moulded
- Teal



1870 N95
Health Care Particulate Respirator and Surgical Mask

- 3 Panel, flat fold
- White



8214 N95
Particulate Respirator.

- Solids
- Liquids
- Metal Fumes
- Faceseal
- 10 per box



8240 R95
Particulate Respirator

- Solids
- Liquids



8511 N95
Particulate Respirator.

- Solids
- Liquids
- 10 per box



8514 N95
Particulate Respirator.

- Solids
- Liquids
- Metal Fumes



8516 N95
Particulate Respirator with Nuisance Level Acid Gas Relief.

- Solids
- Nuisance level acid gas
- 10 per box



8576 P95
Particulate Respirator with Nuisance Level Acid Gas Relief.

- Solids
- Liquids
- Nuisance level acid gas
- 10 per box



8577 P95
Particulate Respirator with Nuisance Level Organic Vapour Relief.

- Solids
- Liquids
- 10 per box



9210 N95
Particulate Respirator.

- Solids
- Liquids
- Comfort Wear
- Individually packaged



9211 N95
Particulate Respirator

- Solids
- Comfort Wear
- Individually packaged



8212 N95
Particulate Welding Respirator.

- Solids / Liquids
- Metal Fumes
- Faceseal
- 10 per box



8512 N95
Particulate Respirator.

- Solids
- Liquids
- Metal Fumes
- 10 per box



8515/07189 N95
Particulate Respirator

- Solids
- Liquids

3M Class 100 Particulate Respirators



8233 N100
Particulate Respirator.

- Solids
- Liquids
- Metal Fumes
- Individually packaged



8239 P100
Particulate Respirator.

- Solids
- Liquids
- Metal Fumes
- Certain Radio-active particulates





3M 5000 Series Respirators



Organic Vapour

5101-Small
5201-Medium
5301-Large



Acid Gas

5102-Small
5202-Medium
5302-Large



Organic Vapour / Acid Gas

5103-Small
5203-Medium
5303-Large



Ammonia / Methylamine

5104-Small
5204-Medium
5304-Large



Formaldehyde / Organic Vapor

5105-Small
5205-Medium
5305-Large



Multi-Gas / Organic Vapour

5106-Small
5206-Medium
5306-Large



Multi-Gas / Organic Vapour / P100

51916-Small
52916-Medium
53916-Large



Organic Vapour / Acid Gas / P100

51913-Small
52913-Medium
53913-Large



Organic Vapour / P95

51P71-Small
52P71-Medium



Organic Vapour / P100

51911-Small
52911-Medium

3M 6000 Series Respirators



Half Facepiece

6100-Small
6200-Medium
6300-Large



Full Facepiece

6700-Small
6800-Medium
6900-Large



Half Facepiece Drop Down

6100DD-Small
6200DD-Medium
6300DD-Large



Assembly with Particulate Filters 2091, P100

6191-Small
6291-Medium
6391-Large



Mould Remediation

67097-Small
68097-Medium
69097-Large



6878 Spectacle Kit

Designed for use with 3M™ 6000 Series Full Facepiece Respirators. It permits the wearer to use his/her corrective lenses and to make position adjustment that is most comfortable.

Safety Products - Respirators



3M 7000 Series Respirators



Full Facepiece Silicone

7800S-S-Small
7800S-M-Medium
7800S-L-Large



Half Facepiece Silicone

7001S-Small
7002S-Medium
7003S-Large



Half Facepiece Silicone

7100S-Small
7200S-Medium
7300S-Large



Half Facepiece Rubber

7100-Small
7200-Medium
7300-Large



Professional Series Half Facepiece

7501-Small
7502-Medium
7503-Large

3M First Response Systems



FR-M40-30 Full Facepiece Respirator

A negative pressure, military-style, full facepiece respirator which is NIOSH-approved with the 3M™ Canister FR-C2A1 or 3M™ Cartridge FR-64 for acid gases (including chlorine), CN, CS, and as a P100 particulate filter.



RRPAS Positive Pressure Rapid Response Powered Air System

The RRPAS™ Powered Air Purifying Respirator (PAPR) is especially well-suited for rapid response personnel. This PAPR is stored in a unique carrying bag that transforms into a vest with the PAPR system in place and ready for use.

3M Powered Air Purifying Systems



W-3265S-L Face-Mounted Powered Air Purifying Respirator System

This large respirator uses a high efficiency filter for dusts, mists, fumes and radionuclides. It can be used for lead, asbestos and other particulates. It can be used in nuclear work, smelting and pharmaceutical manufacturing.



6800PF Powerflow™ Face-Mounted Powered Air Purifying Respirator

This medium respirator is a lightweight, face-mounted PAPR. It uses a single HEPA filter for protection against dusts, mists, fumes and radionuclides, making it ideal for lead, asbestos and other hazardous particulates.

3M Supplied Air Systems



055-00-01R01 R-Series, Continuous-Flow, Tight-Fitting Facepiece

This facepiece uses a durable neoprene material. The wrap-around faceshield provides a wide field of vision for greater safety, convenience and worker acceptance.



Dual Airline, Supplied Air, Tight-Fitting Facepieces

Includes 6000 and some 7000 Series Half and Full Facepieces. The adapter kits allows air to be delivered to both sides of the facepiece for greater user comfort.



3M 2000 Series Particulate Filters for 6000 and 7000 Series Respirators



2071	Particulate Filter, P95
2076HF	Particulate Filter, Hydrogen Fluoride/P95 with nuisance level Acid Gas Relief
2078	Particulate Filter, P95, with nuisance level Organic Vapour/Acid Gas relief and Ozone protection
2091	Particulate filter, P100
2096	Particulate Filter, P100 with nuisance level Acid Gas relief
2097	Particulate Filter, P100 with nuisance level Organic Vapour relief and Ozone protection
5N11	Particulate Filter, N95
5P71	Particulate Filter, P95
701	Adapter for 7800 Series Facepieces to use 2000 and 6000 Series Filters and Cartridges

3M 6000 Series Chemical Filters and Filter Selection for 6000 and 7000 Series Respirators

Chemical Cartridges



6001	Organic Vapour
6002	Acid Gas
6003	Organic Vapour/Acid Gas
6004	Ammonia/Methylamine
6005	Formaldehyde/Organic Vapour
6006	Multi-Gas/Vapour
6009	Mercury Vapour or Chlorine

Combination Cartridges/P100 Filters



60921	Organic Vapour/P100
60922	Acid Gas/P100
60923	Organic Vapour/Acid Gas/P100
60924	Ammonia/Methylamine/P100
60925	Formaldehyde/Organic Vapour/P100
60926	Multi-Gas/Vapour/P100
60929	Mercury/P100
60929	Mercury Vapour/Chlorine Gas/P100

3M 7000 Series Chemical Filters and Filter Selection for 7000 Series Respirators

Chemical Cartridges



7251	Organic Vapour
7252	Acid Gas
7253	Organic Vapour / Acid Gas
7254	Ammonia/Methylamine
7275	Formaldehyde / Organic Vapour
7276	Multi-Gas/Vapour
7263	Organic Vapour/Acid Gas

Particulate Filters



7N11	Particulate Filter, N95
7090	Particulate Filter, P100
7093	Particulate Filter, P100
7093B	Particulate Filter, P100

3M Cartridge Adapters / Retainers



501 Retainer

This retainer is used to hold 3M™ 5N11 and 5P71 Filters in place on 3M™ 5000 Series Respirators and 3M™ 6000 Series cartridges.



502 Adapter

This filter allows 3M™ 2000 Series and 7093 Filters to be used in combination on 3M™ 5000 Series Respirators, and 3M™ 6000 Series Cartridges for a wide variety of applications.



7287 Retainer

Designed to be used with 3M™ 7000 Series Cartridges.



Safety Products - Gloves



WORK GLOVES FOR EVERY INDUSTRY

Leather glove production is concentrated in top quality linesman utility gloves, welding gloves, heavy duty lumber gloves and specialty gloves for the foundry, steel and automotive industries. Over 400 styles of leather gloves are manufactured. Our automated glove-knitting machines produce 7 gauge, 10 gauge and 13 gauge

string knit cotton and nylon gloves and heavy duty terry cloth gloves. Cut-resistant gloves of DuPont kevlar and Allied Signal Spectra (UHMW Polyethylene) are a specialty. A coating department applies grip and extra wear coatings of PVC and/or nitrile to many of the knitted gloves produced. The company employs 130 and produces approximately 16 million pairs of gloves per year.

Endura Cowgrain/Pigskin Leather Winter Gloves



Endura Cowgrain

Endura Pigskin

Endura® gloves are made from smooth top grain leather for durability, dexterity, plus oil and water resistance. Cowgrain styles are a heavier weight and are very durable. Pigskin gloves are noted for their breathability and how well they return to their original softness after becoming wet. Applications: farming, construction, utilities.

Product	Description
40102	Split Mitts - Wing Thumb (604) (3 SKUs)
40022	Cowgrain Drivers and Ropers - Drivers Glove, Fully Lined
40103	Cowgrain Drivers and Ropers - Ropers Glove, Fully Lined
40104	Cowgrain Drivers and Ropers - Acrylic Fleece BOA Lined
40105	Cowgrain Drivers and Ropers - Deerskin, Thinsulate Lined
40106	Cowgrain Mitts - Chopper Mitt, Wing Thumb
40107	Cowgrain Mitts - Winter Chopper Mitt, BOA Lined
40108	Cowgrain Mitts - One Finger Mitt, BOA lined
40020	Winter Cowgrain Gloves - Fully Fleece Lined
40109	Winter Cowgrain Gloves - Acrylic Fleece "BOA" Lined
40110	Winter Cowgrain Gloves - Fully Thinsulate Lined
40111	Winter Cowgrain Gloves - Red Foam Lined
40112	Cowgrain Fitters Glove - Hi-Viz Reflective Back
40023	Winter Pigskin Gloves - Acrylic Fleece "BOA" Lined
40029	Winter Pigskin Gloves - Fully Fleece Lined
40035	Winter Pigskin Gloves - Fully Thinsulate Lined
40113	Pigskin Fitters - Hi-Viz Reflective Back

Teammate Split Fitters



Teammate Split Fitters

Teammate™ split fitters gloves come in four different lining configurations. As you move up from cotton fleece, to a laminated fleece on foam, to an acrylic BOA lining you gain warmth, but at the expense of a bulkier glove. 3M Thinsulate™ bucks the trend with a better warmth to lining thickness ratio.

Product	Description
40114	Fleece lined
40115	Laminated Foam lined
40116	Acrylic Fleece BOA lined
40117	Fully Thinsulate lined
40118	Seamless acrylic lined

Raggwool



Raggwool Gloves

This convertible style allows you a choice between wearing a mitt or a fingerless glove. Thinsulate insulation gives warmth.

Product	Description
40119	Convertible, Thinsulate lined
40120	Thinsulate lined

Thermolite Glove Liners



Thermolite Glove Liners

Thermolite® gloves are made of a unique hollow core fibre which wicks perspiration away from your skin, while the inner layer remains warm and dry. They have fast evaporation rates - dries 50% faster than cotton. Also shrink resistant, machine washable, extra soft for non-chafing comfort, plus high thermal insulation.

Product	Description
40121	Polypropylene, moisture wicking
40122	Thermolite heat-trapping
40123	Lycra-base heat-trapping



Deluxe Winer Linesman



Deluxe™ Winter Lineman Gloves

Our Deluxe™ Lineman mitts and gloves are made with selected heavy-weight 3 1/2 oz grain horsehide leather. The leather for our Deluxe™ Lineman gloves are treated with Waterstop™, which is a fluoro chemical water repellent emulsion to give the leather excellent water, oil, and stain repellent properties.

Product	Description
40124	Lineman 1 finger mitt
40125	Deluxe Lineman 1 finger mitt, C100 Thinsulate
40126	Deluxe Lineman 1 finger mitt, removable liner
40127	Deluxe Lineman glove, C100 Thinsulate
40128	Heather wool liner for Lineman mitts

Water-Tite Winter glove



Water-Tite™ Winter Fitters Gloves

Water-Tite™ winter gloves come with a great new feature. The addition of polyurethane lining inside the glove makes them completely wind and waterproof. The waterproof membrane extends from the finger tips to the top edge of the cuff.

Product	Description
40129	Water-Tite Winter Fitters Glove blue
40130	Water-Tite Winter Fitters Glove green

PVC Winter Gloves



North Sea Premium Grade

The high grade, low temperature PVC formulation insures flexibility and crack resistance in cold temperatures. Warm triple layer, foam laminated insulation. Good chemical and oil resistance. Roughened finish on palm for better grip.

Product	Description
40005	North Sea, winter, brown, gauntlet
40018	North Sea, winter, orange, cuff



Microchip

A special flexible PVC formulation gives these a soft comfortable feel, even in cold temperatures. The grip is greatly enhanced because the surface is completely covered in fine PVC chips. Warm laminated foam lining.

Product	Description
40131	Microchip, fully coated gauntlet
40132	Microchip, fully coated, extra long

Polar Grip / Monkey Grip



Polar Grip

Premium, liquid proof vinyl coating stays flexible at low temperatures.

Product	Description
40133	Polargrip 12" gauntlet
40134	Polargrip 12" gauntlet



Winter Monkey Grip

Maximum warmth and comfort at sub-zero temperatures.

Product	Description
40135	Monkey Grip, knitwrist
40136	Monkey Grip safety cuff

**This is just a small selection, we carry many more styles of winter gloves.
Please call for more information.
Call 1-800-465-SORB**

Safety Products - Gloves



Neoprene Coated Gloves



CHEMSTOP Gloves

Our heavy duty CHEMSTOP™ Neoprene gloves resist a broad range of oils and chemicals that attack natural rubber gloves. Excellent protection from acids, caustics, oil, grease and many solvents.

Product	Description
40137	Chemstop, gauntlet
40138	Chemstop, cuff
40047	Unsupported neoprene over latex

Polyurethane Coated Gloves



Superior Touch Polyurethane

For a supported glove, Superior-Touch polyurethane gloves give unparalleled touch sensitivity and dexterity. Dyneema is 10 times more cut resistant than steel on an equal weight basis and twice as cut resistant as Kevlar.

Product	Description
40139	Nylon palm coated
40140	Carbon filament palm coated
40141	Cut-resistant Dyneema

Impregnated Gloves



Nitrile & Vinyl Impregnated

The nitrile impregnated coating provides excellent abrasion and cut resistance. The vinyl impregnated coating on these gloves is breathable for comfort but long wearing for abrasion resistance.

Product	Description
40142	Nitrile - slip on, perforated
40143	Nitrile - mesh black
40144	Vinyl - snug, slip on
40145	Vinyl - roomy fit, slip on
40146	Vinyl - smooth finish, gauntlet

Latex Coated Gloves



Latex Canner Glove

Natural latex gloves. No cotton flock lining, chlorinated for easy on and off. Embossed pattern grip. Applications: chemical plants, janitorial, plant maintenance, agriculture, automotive assembly.

Product	Description
40036	Latex Cannery, 12", unlined



Latex Diamond Glove

For a supported glove, Superior-Touch polyurethane gloves give unparalleled touch sensitivity and dexterity. Dyneema is 10 times more cut resistant than steel on an equal weight basis and twice as cut resistant as Kevlar.

Product	Description
40147	Orange Heavyweight Diamond
40148	Black Heavyweight Diamond



Orange Roughie™ Gloves

Latex dipped, wrinkle finish palm, on a cotton shell. The Orange Roughie™ combines the comfort and flexibility of an unsupported glove with the toughness and long wear of a supported glove.

Product	Description
40149	Latex Orange Roughie



Prune Face Latex

An extra thick coating of latex over a soft knit jersey liner, results in good cut, abrasion and puncture resistance. The deeply crinkled finish gives excellent wet or dry grip. Applications: handling glass, sheet metal, lumber, scrap.

Product	Description
40150	Fully coated, knitwrist cuff
40151	Palm coated, safety cuff
40152	Fully coated gauntlet



Flock Lined Latex Gloves

Natural latex gloves with cotton flock lining to increase wearer comfort. Embossed pattern grip. Our flock lined latex gloves are Agriculture Canada Approved for Food Handling.

Product	Description
40153	Flock Lined Latex, 12"



Tire-Tred Rubber Palm Gloves

These comfortable seamless knit nylon gloves have a layer of sheet rubber vulcanized to the palm. The rubber extends around the side of the index finger and thumb for extra protection in this high wear area.

Product	Description
40154	Heavy duty, tan, mens
40155	Medium duty, purple, mens
40156	Medium duty, red, ladies



PVC Coated Gloves



J-Series™ Vinyl Coated Gloves

These PVC gloves are coated over a two piece cotton interlock liner. PVC is chemical resistant to many oils, greases, acids, caustics and solvents. Available in red or yellow. All of our J-Series™ PVC gloves are Agriculture Canada (CFIA) Approved for Food Handling.

Product	Description
40157	Coated, knitwrist
40158	Fully coated gauntlet



Long Arm PVC Gloves

Some industrial applications require full arm chemical protection. Long Arm PVC gloves give you the choice between protection to the bicep or to the shoulder. To keep the sleeves in place, shoulder length gloves have a wide elastic that goes behind the neck.

Product	Description
40159	Longarm, bicep length
40160	Long arm, shoulder length



Microchip

A special flexible PVC formulation gives these a soft comfortable feel, even in cold temperatures. The grip is greatly enhanced because the surface is completely covered in fine PVC chips. Warm laminated foam lining.

Product	Description
40161	Microchip, fully coated gauntlet
40162	Microchip, fully coated, extra long



Torpedo™ Premium Quality PVC

High grade PVC, coated over a two piece sanitized fleeced jersey liner enhances wearer comfort. A rough finish palm for better non-slip wet grip. Double dipped for superior abrasion and chemical resistance. Agriculture Canada (CFIA) Approved for Food Handling.

Product	Description
40163	Green, knitwrist cuff
40164	Green gauntlet
40165	Black, knitwrist cuff



L Series PVC Gloves

These economical winter PVC gloves feature a warm lining of triple layer construction. A layer of foam insulation is laminated between a fleeced jersey liner and a layer of interlock cotton. The PVC formulation gives good flexibility in cold weather.

Product	Description
40166	Safety Cuff
40167	Gauntlet



Mangler™ PVC Chip Coat Gloves

After PVC coating, these gloves are embedded with black PVC chips. This significantly increases the wear resistance and grip of the gloves.

Product	Description
40168	Coated Knitwrist
40169	Gauntlet

Keep Kleen Disposable Gloves



Nitrile

Product	Description
40170	4 mil Powdered nitrile
40002	4 mil Powder-free nitrile
40171	8 mil Powdered nitrile
40001	8 mil Powder-free nitrile



Latex

Product	Description
40172	5 mil Powdered latex
40003	5 mil Powder free latex



Polyethylene

Product	Description
40173	.02 mm thick powder free
40174	.03 mm thick, powder free



Vinyl

Product	Description
40175	3 mil, clear
40019	5 mil, clear
40176	5 mil, blue
40177	5 mil, extra soft

Safety Products - Gloves



Nitrile Coated Gloves



Bull Dog™ NT - Nitrile Dipped Gloves

Bull Dog™ NT gloves provide resistance to snags, punctures, abrasions and cuts, without sacrificing comfort and flexibility.

Product	Description
40178	Cotton shell
40179	Kevlar shell
40180	Leather glove



Nitrex™ Medium Duty

Nitrex™ gloves have a tough coating of nitrile rubber over a cut and sewn liner. Good cut and abrasion resistance plus flexibility. Excellent resistance to oil and grease. Colour coded knitwrist cuffs: 7(Red), 8(Yellow), 9(White), 10(Green)

Product	Description
40181	Palm Coated
40182	Fully coated



Terry NT - Heavy Duty Nitrile Dipped

Terry NT gloves are engineered to handle rough, heavy duty work. The shell is a 20 oz. terry cloth seamless knit glove, which is a tough glove all on its own. However, we take the terry glove to a new level of hand protection by coating it with a cut, puncture and abrasion resistant nitrile compound.

Product	Description
40183	Terry shell



Nitrex™ Heavy Duty

Nitrex™ gloves have a tough coating of nitrile rubber over a cut and sewn liner. Good cut and abrasion resistance plus flexibility. Excellent resistance to oil and grease. Applications: handling castings, sheet metal, metal stampings, brick and plywood.

Product	Description
40184	Fully coated, knitwrist
40185	Palm coated, knitwrist
40006	Fully coated, safety cuff
40186	Palm coated, safety cuff
40015	Palm coated, rough finish



Dexterity™ NT - Nitrile Dipped

The tough nitrile dipped coating on Dexterity™ NT gloves gives superior abrasion, cut and puncture resistance. The combination of the unique seamless knit shell and the ergonomically designed curved hand and finger shape gives this glove unsurpassed comfort and dexterity.

Product	Description
40187	Cotton shell
40188	Kevlar shell
40189	Nylon shell
40190	Rough finish



Hycron™ Heavy Duty

Touch nitrile coating, economical replacement for leather gloves - outwears leather 2 to 1. Excellent protection against cuts, punctures, abrasion. Superior flexibility and grip. Curved fingers for natural fit.

Product	Description
40191	Knitwrist, palm coated
40192	Knitwrist, fully coated
40193	Safety cuff, palm ctd
40194	Safety cuff, fully ctd



N Series Unsupported Nitrile

Our nitrile gloves offer excellent protection against a broad range of chemicals and are abrasion, puncture and snag resistant. Embossed finish for better grip. All of our N Series Nitrile Gloves are Agriuculture Canada Approved for Food Handling

Product	Description
40195	Unlined 8 mil
40196	Unlined 12 mil
40197	Unlined 22 mil
40198	Flock lined 18 mil
40199	Flock lined, 20 mil



Nitrile Crushed Ceramic Powder Grip

These nitrile gloves have a fantastic grip on oily surfaces. The tough coating is resistant to snags, punctures and abrasion. The glove is dipped on special ergonomically designed forms giving these gloves superior fit and comfort.

Product	Description
40200	Green, 12"

This is just a small selection of all the gloves we carry.

Please call for more information.

Call 1-800-465-SORB



Cotton and String Knit Gloves



Cotton Canvas Gloves

100% cotton canvas gloves are industries most popular general purpose work gloves. Cotton combines comfort, breathability and dexterity for economical hand protection. Offers light duty protection in automotive plants, food industry, general material and parts handling.



Cotton Canvas PVC Coated Gloves

Our 8 oz. cotton gloves with PVC dots or stripe coating, gives a safer, surer grip and extends the wear of the glove. The PVC pattern wraps around to the back of the index finger.

Product	Description
40201	8 oz. Wing thumb, knitwrist
40202	8 oz. Wing thumb
40203	8 oz. Reversible thumb
40204	8 oz. Bandtop
40205	8 oz. Reversible, bandtop
40206	8 oz. Gauntlet
40207	8 oz. Reversible, gauntlet
40208	Reversible, elastic cuff
40209	10 oz. 6" knitwrist
40210	12 oz. knitwrist
40211	12 oz. gauntlet
40212	8 oz. PVC dot
40213	8 oz. PVC stripes



Dura-Weave General Purpose

The base fabric of these new gloves is called "Dura-Weave". It is a revolutionary material with excellent abrasion resistance (over 4 times stronger than cotton). Its' excellent tear resistance also translates into very strong seam strength.

Product	Description
40214	Light duty, ladies
40215	Medium dutym bandtop
40216	Medium duty, knitwrist
40217	Medium duty, double palm
40218	Heavy duty, double palm



Sure-Knit™ Nylon Gloves

This tough synthetic blend of fibres makes this glove the favourite choice of commercial fishermen and is also ideal for many types of food processing applications. Our SN and SBQ gloves are Agriculture Canada Approved for Food handling.

Product	Description
40219	Heavyweight, speckled blue
40220	Reinforced with nylon tire core
40221	Bright White
40222	Economy string



Sure-Knit™ Inspector Style Gloves

These fine knit gloves are made with 13 stitches per inch. The tight knit construction gives these gloves finer touch sensitivity and more dexterity.

Product	Description
40223	Cotton/Lycra
40224	Filament Blend



Cotton Jersey Gloves

9 oz. knitted jersey of woven cotton with fleecy inside face. A good choice for mild winter weather or as winter glove liners.

Product	Description
40225	9 oz. Jersey, knitwrist
40226	Red fleeced lining
40227	Natural Jersey, napped inside



Sure-Knit™ Low-Lint Gloves

These fine 13 gauge knit gloves are made from lint free continuous filament yarns. They are the first choice for electronics, cleanroom and automotive paint spray applications. Available in an anti-static version with an electrostatic dissipating carbon filament running through the glove.

Product	Description
40228	Filament nylon
40229	Filament polyester
40230	Anti static filament



Sure-Knit™ String Cotton/Poly Gloves

They make ideal general purpose work gloves, especially for parts handling and general maintenance. The cotton/poly blend is cool and comfortable and the glove launders extremely well. Our SCP and SQ gloves are Agriculture Canada Approved for Food Hnadling.

Product	Description
40231	Economy string
40232	Natural colour

Safety Products - Head / Eye Protection



Hard Hats & Liners



Peak

- 42050** Pinlock
- 42056** Ratchet



Summit

- 42051** Pinlock
- 42059** Ratchet



K2

- 42060** Pinlock
- 42061** Ratchet



Everest

- 42062** Pinlock
- 42063** Ratchet



Matterhorn

- 42064** Pinlock
- 42065** Ratchet



Hard Hat Liners

Winter liner - Sock type - Wind guard - 100% stretch nylon - Red, blue or black. To fit wide brim hats.

Product	Description
42052	Hard Hat Sock type Liner
42057	Hard Hat Nylon Winter Liner



Safety Glasses / Safety Goggles



Millennia

High impact, abrasion resistant polycarbonate dual 9-base wrap-around unilens. Clear, smoke, yellow, silver mirror, Fog-ban.

Product	Description
41010	Cruiser



Millennia Sport

Optical grade impact resistant 9-base wrap-around lens. Clear, smoke, silver mirror and Fog-ban.

Product	Description
41011	Millennia Sport



Cruiser

Dual lens look in a unique design. Clear, smoke, amber, cappuccino, silver mirror, blue mirror, Fog-ban.

Product	Description
41012	Cruiser



Op-Tema

Sporty wrap-around lens. Clear, smoke, Fog-ban.

Product	Description
41013	Op-Tema



Stellar

Sleek metal frame design with a sporty and stylish look. Rx ready. Clear, smoke, amber, silver mirror.

Product	Description
41014	Stellar



Polysafe

Economical lightweight uncoated polycarbonate unilens design fits over Rx eyewear.

Product	Description
41017	Polysafe



V-Maxx

Futuristic wrap-around styling, direct and indirect vent styles.

Product	Description
41018	V-maxx



Oracle

Exceptional quality, value & contemporary styling. High impact & scratch resistant. Clear.

Product	Description
41015	Oracle



Spector

Exceptional quality, value & contemporary styling. High impact & scratch resistant. Clear.

Product	Description
41016	Spector



Softie Goggle

Ability to be worn over prescription glasses and the proper seal allows for increased protection.

Product	Description
41008	Perforated
41000	Chemical splash
41007	Ventless frame



Ear Protection - Safety Products

Ear Muffs



Jaguar

"Jaguar" earmuff with comfort pad - Extra large size cup - Black & Gray

Product	Description
42074	Headband
42075	Capmount



Intruder

"Intruder" earmuff - Wire headband with comfort pad - Extra large cup - Black & White

Product	Description
42076	Headband
42077	Capmount



Hornet

"Hornet" earmuff with comfort pad - Medium size cup - Red

Product	Description
42078	Headband
42079	Capmount



Sabre

"Sabre" earmuff with comfort pad - Large size cup - Black & Red

Product	Description
42080	Headband
42081	Capmount



Mustang

"Mustang" headband earmuff - Super light - Blue

Product	Description
42082	Headband
42083	Capmount



Hurricane

"Hurricane" earmuff - Wire headband with comfort pad - Super light small cup - Beige

Product	Description
42084	Headband
42085	Neckband
42086	Capmount



Stealth

"Stealth" earmuff - Wire head band with comfort pad - Medium size cup - Green

Product	Description
42087	Headband
42088	Neckband
42089	Capmount



Phantom

"Phantom" earmuff - Wire headband with comfort pad - Medium size cup - Yellow

Product	Description
42090	Headband
42091	Neckband
42092	Capmount



Concord

"Concord Impact" foldable electronic impact stereo earmuff - Ultra low profile muff

Product	Description
42093	Headband



Challenger

"Challenger" Ultra low profile earmuff - Foldable - WHITE

Product	Description
42094	Headband

Ear Plugs



Sonic

Sonic Ear-Valvs® Silicone rubber earplugs with valve for attenuating impact noise before reaching the ear canal.

Product	Description
42095	S, M, L



Silent Partner

Silent Partner® Uncorded earplugs, Packaged 1 pair per carrying case with chain, 20 pair per carton.

Product	Description
42096	Corded
42097	Uncorded



Com Fit

Com-Fit™ Uncorded earplugs, Packaged 1 pair per carrying case with inserter device and chain.

Product	Description
42098	S, M, L, corded
42099	S, M, L, uncorded



Conic Fit

"Conic-Fit" reusable earplugs - Without cord - Dispenser of 100 plastic bags.

Product	Description
42100	Corded
42101	Uncorded



Disposable

Disposable PVC foam earplugs

Product	Description
42073	Box of 200
42072	Box of 500

Safety Products - Limited Use Clothing



Among leading companies designing and manufacturing protective garments for industry, municipalities, and the burgeoning healthcare field, Lakeland Industries' products have established and maintained their global reputation for overall quality. Indeed, their products have long been recognized as the field's gold standard for quality - that essential, expected and deserved constituent of any protective wear.

Tyvek



Tyvek® spunbonded olefin is a unique DuPont material used by Lakeland for years in its manufacture of protective garments worn in all kinds of industry. Tyvek® offers high strength and provides an excellent barrier to many dry particulates, including asbestos, lead dust, and radioactive dusts. Tests show that Tyvek® maintains its level of barrier protection after being subjected to abrasion and flexing. Tyvek garments retain their shape and will not stretch out after kneeling and bending. No other material on the market today has the superior protective properties, comfort and endurance of Tyvek®.

Product	Description
42103	Coverall with collar, zipper, set-in sleeve.
42104	Coverall with collar, zipper, elastic wrist and ankle, set-in sleeve
42008	Coverall with zipper, attached hood, attached boots, elastic wrist, set-in sleeve
42105	Coverall with zipper, attached hood, set-in sleeve
42106	Coverall with zipper, attached hood, elastic wrists and ankles, set-in sleeve
42107	Shirt, snap closure, long sleeve, roomy and comfortable
42108	Pants, elastic waist
42109	Lab Coat, snap closure, 2 pockets, long sleeve
42110	Smock, long sleeve, attached ties
42111	Frock, mandarin collar, 5 snaps, elastic wrists
42112	Apron, swen ties
42113	Sleeves, elastic, both ends
42011	Shoe cover
42114	Boot cover, 17", elastic top
42115	Shoe cover, vinyl sole
42116	Boot cover, vinyl sole, elastic top
42117	Hood, drawstring closure
42118	Hood, elastic face, covers shoulders
42119	Bouffant Hat



Polypropylene



Lakeland polypropylene garments are an ideal solution for non-hazardous, grimy work environments where a low cost disposable garment is needed. These lightweight, spunbonded garments are available in 1.25 oz. material weight. Polypropylene is breathable, which makes it perfect for the workplace where constant dirt and grime are encountered.

Product	Description
42120	Coverall with collar, zipper
42041	Coverall with zipper, attached hood, attached boots, elastic wrist
42121	Lab Coat, snap closure, no pockets
42122	Shirt, snap closure, long sleeve
42123	Pants, elastic waist
42124	Apron
42125	Smock, long sleeves, attached ties
42126	Bouffant Hat
42127	Beard Cover
42128	Sleeve, elastic at ends
42010	Shoe cover, elastic top
42129	Shoe cover, elastic top, non-skid bottom





Limited Use Clothing - Safety Products

Triseam



Triseam® is made of non-woven spun bonded polypropylene laminated to a white microporous film. It is lightweight, strong and durable.

Triseam® is a great contamination control fabric, repels airborne particles, and a broad range of chemical and biological agents. Wear Triseam for paint spraying, maintenance, general clean-up, and for dry particulate protection.

Product	Description
42130	Coverall with zipper, deluxe pattern
42003	Coverall with zipper, elastic wrists, attached hood
42131	Coverall with zipper, elastic wrists and ankles, deluxe pattern
42132	Coverall with zipper, attached hood, elastic wrists and ankles, deluxe pattern
42133	Lab Coat, 3 snaps, 2 sewn-on pockets
42012	Shoe covers
42017	Shoe covers, high top
42021	Sleeves
42134	Smock, long sleeves, attached ties

MicroMAX



MicroMAX® from Lakeland Industries brings the most advanced microporous technology to the protective clothing market yet. This line of general purpose protective clothing can be used in any non-hazardous environment where dirt, grime, splashes and spills are present. The MicroMAX® fabric is comprised of a microporous film with a nylon scrim between the film and substrate that gives the material additional strength. Tough can-do protection at a price that is sure to agree with your budget.

Product	Description
42172	Coverall with zipper
42173	Coverall with zipper, elastic wrists, attached hood, boots
42174	Coverall with zipper, elastic wrists and ankles
42175	Coverall with zipper, attached hood, elastic wrists and ankles
42176	Lab Coat, snaps, 2 pockets, long sleeves
42177	Smock, long sleeves, attached ties



COPP50



Hooded Polypropylene Coveralls. 50 grams per/yard fabric weight. Manufactured from durable spunbonded polypropylene (tear resistant). This fabric is very tough, longwearing and comfortable. Great for painters suits, maintenance & janitorial staff wear. Chemical & Bio Resistant Wear Clothing, Painter, Janitorial, Industrial Polypropylene Coveralls

Product	Description
42004	Poly-Pro COPP50 Coveralls

Kleenguard Ultra



The patented three-layer fabric construction of KLEENGUARD® ULTRA Coveralls feature a middle layer of microporous film that allows heat and sweat vapor to escape, yet protects against many dry particulates and liquids, even under pressure. The thicker, more uniform outer layers provide even better protection of the film barrier against tearing and abrasion.

Product	Description
42055	Kleenguard Ultra Coveralls

Safety Products - Limited Use Clothing



Tychem SL (Saranex)



Tychem® SL effective protection against a broad range of chemicals. Tychem® SL is a laminate of DuPont's Tyvek® and Dow Chemical's Saranex 23-P® film. This fabric is lightweight and offers economical protection against a broad range of chemicals. These garments feature bound seam construction and storm flaps over zippers. Tychem® SL is available in white. Tychem® SL is the only Saranex laminated material for which DuPont provides permeation data and technical support.

Product	Description
42140	Coverall with collar, zipper with storm flap
42141	Coverall with collar, zipper with storm flap, elastic wrist and ankle
42142	Coverall with zipper with storm flap, attached hood, attached boots, elastic wrist
42143	Coverall with zipper with storm flap, attached hood
42016	Coverall with zipper with storm flap, attached hood, elastic wrists and ankles
42145	Shirt, snap closure, long sleeve
42146	Pants, elastic waist
42147	Shoe cover, elastic top
42148	Boot cover, elastic top
42149	Hood, pullover, draw string
42150	Hood, pullover, elastic face
42151	Sleeve, elastic wrist



Pyrolon CR/FR



They're unique. They're disposable. They're chemical resistant. And they're flame retardant, meeting NFPA 701 specifications. Imagine, all these qualities in one protective garment. Only from Lakeland. Pyrolon® CRFR garments bar contaminating flammables like paint, oil and grease, hazardous liquids, and dry particulates from penetrating to inner clothing.

Product	Description
42152	2 mil Coverall with collar, open wrist and ankles
42153	2 mil Coverall with collar, elastic wrist and ankle
42154	2 mil Coverall with attached hood, elastic wrists and ankles
42144	2 mil Coverall with hood elastic face, wrists and ankles
42155	2 mil Coverall with attached hood, elastic wrists and attached boots
42156	0.5 mil Coverall with zipper
42157	0.5 mil Coverall with zipper, attached hood, elastic wrists
42158	0.5 mil Coverall with zipper, elastic wrists and ankles
42159	0.5 mil Coverall with zipper, attached hood
42160	0.5 mil Coverall with zipper, attached hood, elastic wrists and ankles



Pyrolon DTP



Pyrolon® DTP (Disposable Thermal Protection) provides improved thermal protection, greater comfort, and a low economical price to occasional users of FR cottons and aramids. These garments offer high air permeability and high combined TPP ratings, giving you greater comfort and better protection. Pyrolon® DTP has a low thermal shrinkage and a lower predicted body burn injury than incumbent materials. Pyrolon® DTP is lighter than most FR cotton fabrics which allows for a higher air flow through the fabric to carry away moisture. Pyrolon® DTP is more durable than other disposable FR garments, giving you longer use times to extend your budgets.

Product	Description
42161	Coverall with action back, zipper, pass-thrus, snap at collar and waist, 7 pockets, elastic back waist
42162	Coverall with zipper, elastic waist, 2 sewn-on pockets





Pyrolon XT



They're new! And they're tough! Extra Tough!

These durable coveralls feature a set-in sleeve design that makes movement effortless, and makes rip-outs a thing of the past. Pyrolon® XT is a cost effective garment for applications where FR clothing is required, such as on-site contractors or visitors. Employee comfort is assured, as Pyrolon® XT has very high MVTR's.

Product	Description
42178	Coverall with collar, zipper
42179	Coverall with collar, zipper, elastic wrist and ankle
42180	Coverall with zipper, attached hood, attached boots, elastic wrist
42181	Coverall with zipper, attached hood
42182	Coverall with zipper, attached hood, elastic wrists and ankles



SafeGard 76



SafeGard® 76 SMS Protective Garments from Lakeland are well-named. They keep your people safe from numerous toxic particles and water-based liquids. No secret. It's the way they're built.

SafeGard® 76 fabric consists of three layers of pliable, comfortable polypropylene.

The two outer layers are made with no-nonsense, spunbonded filaments that stand up to tearing and abrasion; the inner layer is of meltblown polypropylene microfibers that filter out potentially harmful particulate matter and liquids.

Product	Description
42163	Coverall with collar, zipper, hood
42164	Coverall with zipper
42165	Coverall with zipper, hood, elastic wrist and ankles
42166	Coverall with zipper, elastic wrists and ankles
42167	Smock, long sleeves, attached ties
42168	Lab coat, snaps, no pockets, long sleeves
42169	Shirt, snaps, long sleeves
42170	Lab coat, snaps, 2 pockets, long sleeves
41848	Sleeves, elastic ends
42171	Pants, elastic waist



Tychem QC



Tychem® QC polyethylene-coated garments from Lakeland provide excellent light-weight splash protection from many acids and other liquid chemicals. It is a good economical choice for use in many industrial plants and chemical cleanup operations. Seams are available with either serged, bound or heat sealed seams for increased holdout of liquids and dry particulates. Garments are available in high visibility yellow.

Product	Description
42135	Coverall with collar, zipper
42136	Coverall with collar, zipper, elastic wrist and ankle
42137	Coverall with zipper, attached hood, attached boots, elastic wrist
42138	Coverall with zipper, attached hood with 20 mil PVC faceshield, boots, elastic wrist, air line hookup
42139	Coverall with zipper, attached hood, elastic wrists and ankles
41843	Shirt, snap closure, long sleeve
41844	Pants, elastic waist
41845	Sleeves, elastic ends
41846	Apron, open back, long sleeves, sewn ties
41847	Apron, sewn ties

Safety Products - Chemical Protective Clothing



Level A represents the greatest danger of respiratory, eye or skin damage from hazardous vapors, gases, particulates, sudden splash, immersion or contact with hazardous materials. It calls for total encapsulation in a vapor tight chemical suit with self-contained breathing apparatus (SCBA) or supplied air and appropriate accessories. Lakeland Level A chemical protective clothing can also be manufactured to meet NFPA 1991 specifications.



Level B situations call for the highest degree of respiratory protection but a lesser need for skin protection. It calls for SCBA or positive pressure supplied air respirator with escape SCBA, plus hooded chemical resistant clothing (overall and long sleeved jacket; coveralls; one or two piece chemical-splash suit; or disposable chemical-resistant coveralls).

Tychem SL



Tychem® SL is a laminated fabric incorporating DuPont's Tyvek® spunbonded olefin and Dow Chemical's Saranex® 23-P film. Lakeland sealed seam garments made with Tychem® SL provide reliable and economical Level B protection against a spectrum of chemicals used in the agriculture and petroleum markets. This apparel is a top choice among workers who are mixing, loading and applying agriculture chemicals, engaged in related cleanups, and/or in general industrial environments.

Product	Description
42183	Coverall with hood, elastic face, open wrists and ankles. Level B.
42184	Coverall with hood, elastic face, wrists and ankles. Level B.
42185	Coverall with hood, elastic face, open wrists, attached boots. Level B.
42186	Coverall with hood, elastic face, elastic wrists, attached boots. Level B.
42187	Coverall with hood, 30" zipper extended to chin, double storm flap, elastic wrists, attached boots with flaps. Level B.
42188	Encapsulated Suit, 48" zipper, storm flap, 20 mil PVC faceshield, elastic wrist, 1 exhaust port, air tube, boots, Level B.
42189	Apron, bib style, knee length, ties at neck and waist.
42190	Boots, elastic at top.
42191	Sleeves, elastic ends
42192	Hood, pullover, bell shape, elastic face
42193	Hood, bell shape, 20 mil PVC faceshield, Velcro straps under arm



Tychem QC



Tychem® QC sealed seam garments from Lakeland Industries, Inc. provide excellent splash protection against chemicals like pesticides. They're made with rugged Tychem® by DuPont that's been "quality coated" with 1.25 mils of polyethylene, providing garments that meet Level B standards. Inorganic acids and alkalis can't get through either. These Lakeland garments are reliable and economical safety measures for workers engaged in chemical cleanups or operating in industrial labs.

Product	Description
42194	Coverall with collar, open wrists and ankles
42195	Coverall with collar, elastic wrists and ankles
42196	Coverall with hood, elastic face, open wrists and ankles. Level B.
42197	Coverall with hood, elastic face, elastic wrists and ankles. Level B.
42198	Coverall with hood, elastic face, elastic wrists, attached boots. Level B.
42199	Jacket with collar, double storm flap with Velcro, zipper, elastic wrists.
41800	Pants, elastic waist, hemmed cuffs.
41801	Hood, pullover, bell shape, elastic face
41802	Sleeves, elastic ends.





Chemical Protective Clothing - Safety Products



Tychem BR



Lakeland's line of DuPont Tychem® BR chemical protective clothing is backed by extensive permeation data on over 200 nasty chemicals... including the ones with the reputations for being involved in most industrial or hazmat incidents. Superior tear puncture and abrasion resistance, plus enhanced comfort make these garments a dream to work in. The yellow color of Tychem® BR is highly visible in both bright and dim light, offering greater protection for hazmat teams, emergency response and transportation emergency teams.



Product	Description
41803	Fully encapsulated Level A suit, vapour protective, 48" zipper, double storm flap, 20 mil PVC face shield, Level A
41804	Coverall with collar, elastic wrists and ankles.
41805	Coverall with hood, elastic face, open wrists.. Level B.
41806	Coverall with hood, elastic face, open wrists, attached boots. Level B
41807	Coverall with hood, elastic face, elastic wrists, attached boots. Level B.
41808	Coverall with expanded back hood, elastic face, elastic wrists, attached boots. Level B.
41809	Coverall with hood, respirator fir hood, double storm flap, elastic face and wrists, attached boots. Level B.
41810	Coverall with hood, elastic face and wrists with splash guards, sock boots with boot flaps. Level B.
41811	Encapsulated Suit with rear entry, storm flap, 20 mil PVC faceshield, 1 exhaust port, air tube, Level B.
41812	Encapsulated Suit, 48" zipper, storm flap, 20 mil PVC faceshield, elastic wrist, 2 exhaust port, boots, Level B.
41813	Coverall with collar, open wrists and ankles
41814	Coverall with collar, elastic wrists and ankles.
41815	Jacket with collar, zipper, elastic wrists, double storm flap with Velcro.
41816	Pants, elastic waist, hemmed cuffs
41817	Hood, short bib style, 20 mil PVC lens, 2" Velcro straps under arms.
41818	Apron, bib style, knee length, ties at neck and waist
41819	Sleeves, elastic ends
41820	Boot cover, extends over calf, elastic at top.



Tychem LV



Tychem® LV garments are designed for low visibility in hazardous environments where discretion is preferred and superior protection is available. Tychem® LV delivers a balance of superior performance, excellent durability with enhanced comfort and flexibility. Tychem® LV is strong, yet flexible for ease of movement. Garments deliver the high durability you expect from chemical protective apparel made with DuPont fabrics, including tear, puncture, and abrasion resistance.

Tychem® LV garments are available in Level A and B configurations. Contact our Customer Service at 1-800-465-7672 for more details on this product.



Tychem TK

Tychem® TK: the highest level of protection




Tychem® TK is the newest line of chemical protective clothing from Lakeland Industries, Inc. Developed by DuPont, this protective material was specifically developed for protection against toxic, corrosive gases, liquids and solid chemicals and is perfectly suited for industrial, HazMat, and domestic preparedness applications. Tychem® TK offers dependable protection with proven performance over a wide range of chemicals.

Tychem® TK exhibits outstanding chemical barrier properties. An extremely durable fabric that's puncture and tear resistant, it's barrier has been tested against 260 challenge chemicals. Excellent permeation data from stringent ASTM testing substantiates the uncompromised protection available with Tychem® TK.



Product	Description
41821	Fully encapsulated Level A suit, vapour protective, 48" zipper, double storm flap, 40 mil PVC face shield, silver
42102	Fully encapsulated Level A suit, vapour protective, 48" zipper, double storm flap, 40 mil PVC face shield, rear
42014	Fully encapsulated Level A suit, vapour protective, 48" zipper, double storm flap, 40 mil PVC face shield, front
42013	Coverall with hood, elastic face, wrists and ankles. Level B.
41822	Coverall with hood, elastic face, open wrists, attached boots.. Level B.
41823	Coverall with hood, elastic face, wrists, over boots., expanded back for SCBA. Level B
41824	Coverall with hood, elastic face, elastic wrists, attached boots, boot flaps. Level B.
41825	Coverall with hood, elastic face, elastic wrists, attached boots with flaps, respirator fit hood. Level B.
41826	Coverall with hood, elastic face, elastic wrists and ankles, respirator fit hood. Level B.
41827	Coverall with hood, elastic face and wrists with splash guards, sock boots with boot flaps. Level B.
41828	Encapsulated Suit with rear entry, storm flap, 20 mil PVC faceshield, 1 exhaust port, air tube, Level B.
41829	Encapsulated Suit, 48" zipper, storm flap, 20 mil PVC faceshield, elastic wrist, 2 exhaust port, boots, Level B.
41830	Coverall with collar, open wrists and ankles
41831	Coverall with collar, elastic wrists and ankles.
41832	Coverall with collar, elastic wrists and over boots, 5" storm flap.
41833	Jacket with collar, zipper, elastic wrists, double storm flap with Velcro.
41834	Jacket with drawstring hood, zipper front, double storm flap with Velcro, elastic wrists.
41835	Pants, elastic waist, hemmed cuffs
41836	Bib pants with suspenders, hemmed cuffs.
41837	Apron, long sleeves, elastic wrists, Velcro straps at neck, ties in back.
41838	Apron, bib style, knee length, ties at neck and waist
41839	Hood, pullover, bell shape, elastic face.
41840	Hood, short bib style, 20 mil PVC lens, 2" Velcro straps under arms.
41841	Sleeves, elastic ends
41842	Boot cover, extends over calf, elastic at top.





First Aid Kits - Safety Products

First Aid Kits



45000
WSIB-TCFB



45016
Level 1, deluxe, softpack



45011
WSIB Level A



45017
WSIB Level 1, M36



45011
WSIB Level A



45017
WSIB Level 1, M36

This is just a small selection of the First Aid kits we carry.

There are many different configurations in a large number of different containers.

Please contact us for more details.

Call 1-800-465-SORB

First Aid



Hygienic Deodorizing Towelettes

Individual packaged in foil lined pouch.

Product	Description
34011	Box of 12
	Box of 100



Hand Gel

Antibacterial.

Product	Description
	125 ml
34018	500 ml



Eyewash Bottles

Soft flexible polyethylene, easy to squeeze. Built in eye cup for thorough and gentle flushing.

Product	Description
42042	500 ml
42058	1 L



Saline Solution

Pre-mixed sterile buffered saline isotonic solution.

Product	Description
42047	250 ml
42046	500 ml
42048	1 L
42032	4 L



Eyewash Station

Portable eyewash station. Sturdy, high-impact plastic board. Pre-moulded design shelf.

Product	Description
42031	Empty bottle
42043	Full 1L bottle
42045	Empty 500 ml

Safety Products - Foot wear



Founded in 1894 in Czechoslovakia, today the Bata Shoe Organisation is the biggest shoe manufacturer in the world. Bata Industrials is committed to be the leading manufacturer, developer and marketer of safety and work-related footwear and hosiery. Bata Industrials offers solutions to the safety footwear problems encountered by millions of people in the workplace.

Specialty Boots



Hazmax

Meets and surpasses NFPA 1991,2000 edition for chemical permeation resistance requirements. Meets requirements for the optional chemical and biological certification. Exceeds ANSI & CSA standards for Dielectric footwear. Steel safety toe & shank and full steel midsole. Constructed of a high viscosity and flexible PVC alloy. Non-absorbent polyester lining for easy cleaning and quick drying

Product	Description
42035	Hazmax ST/SM
42200	Hazmax Strapper
42006	Hazmax Kneebboot, 16"
42005	Hazmax 10" Overboot



Dielectric II

Meets or exceeds ANSI STD Z41-1991 for Electric Hazard Footwear as well as CSA Z195-Grade 1. Withstands 14,000 volts of AC current for 1 minute, showing no leakage in excess of 5.0 milliamperes. Injected molded seamless construction. Replacement cushion insoles. Cut-off bands and kick off lug

Product	Description
42202	Dielectric Aquated sole
42203	Dielectric Ultragrip sole
42204	Dielectric Kneebboot
42205	Dielectric Cleated sole

Generation 2000 boots

New innovative line of protective footwear that is the most comfortable and durable you will find in the marketplace today. Our footwear products surpass expectations for slip resistance, safety protection and comfort. Bata's research in industry specific safety demands, and our in-house expertise in chemical research, ensures that each and every product we offer is designed to meet a specific set of safety requirements.



Challenger

Comfortable foot protection providing a high degree of chemical resistance.

Product	Description
42206	Plain toe
42207	Steel toe



Mercury

Durable and comfortable protection where moderate chemical resistance is required.

Product	Description
42208	Plain toe
42209	Steel toe
42210	Steel toe/sole



Apollo XCP

Comfortable foot protection providing a moderate degree of chemical resistance.

Product	Description
42211	Plain toe
42212	Steel toe
42213	Steel toe/sole



Bison/Bison OD

Durable and comfortable foot protection where chemical resistance is not a factor.

Product	Description
42214	Plain toe
42039	Steel toe
42215	Plain toe (OD)



Gutter Boot

Comfortable foot protection providing a high degree of chemical resistance.

Product	Description
42216	Plain toe
42217	Steel toe

We stock many different safety boots, specialty use boots, traditional boots, PVC overshoes and boots, waders, cold weather boots, boot/shoe covers. Please call 1-800-465-SORB for more information.



Footwear - Safety Products

Traditional Boots



Polymax

Specifically designed to provide a very high degree of chemical resistance.

Product	Description
42218	16" Plain toe
42219	6" Steel toe
42220	16" Steel toe
42221	16" Steel toe



Superpoly

Designed for use where high chemical resistance is required.

Product	Description
42222	16" Plain toe
42223	6" Steel toe
42224	14" Steel toe
42225	16" Steel toe



Economy

Durable and economic foot protection designed for uses where chemical resistance is not a factor.

Product	Description
42226	16" Plain toe
42227	6" Steel toe
42228	16" Steel toe



Polyblend

Designed for use where moderate chemical resistance is required.

Product	Description
42229	6" Plain toe
42230	14" Plain toe
42231	16" Plain toe
42232	6" Steel toe
42233	14" Steel toe
42234	16" Steel toe



Standard

Durable and comfortable foot protection where mild chemical resistance is a factor.

Product	Description
42235	14" Plain toe
42236	6" Steel toe
42237	14" Steel toe

Comfort Boots



Neomax

Comfort boots that offer superior chemical resistance.

Product	Description
42238	15" Steel toe men's



Polyblend

Comfort boots that offer moderate chemical resistance.

Product	Description
42239	15" Steel toe men's
42240	10" Steel toe women's



Basic Black

Comfort boots that offer moderate chemical resistance.

Product	Description
42241	15" Plain toe men's
42242	15" Steel toe men's
42243	10" Plain toe women's

Cold Weather Footwear



Tundra

Ideal for general purpose cold weather.

Product	Description
42244	Plain toe / ripple sole



Wolf Pac

Great for cold weather industries.

Product	Description
42245	Plain toe
42246	Steel toe



Terra-Lites

Ideal for use in frigid conditions.

Product	Description
42247	Plain toe
42248	Therma toe



Insulated Pac Boots

Ideal for use in the most severe cold weather conditions..

Product	Description
42253	3 Eyelet plain toe
42254	2 Buckle plain toe

Filtration Systems



Activated Carbon Filtration Systems



Liquid Phase Activated Carbon

Liquid-phase Granular Activated Carbon Absorption (GAC) is a treatment technology to remove contaminants from groundwater. Groundwater is pumped through one or more vessels containing GAC. This technology is used to treat groundwater contaminated with hydrocarbons, semi-volatile organic compounds (SVOCs), metals and explosives. GAC can also be used to treat certain radionuclides such as uranium, cobalt-60, and ruthenium-106.

Also available for Vapour Phase.

Product	Description
80165	LP: 250 lbs Drum Vessel
80166	LP: 1100 lbs Supersac
80167	LP: 42 lbs bag
	VP: 250 lbs Drum Vessel
	VP: 1100 lbs Supersac
	VP: 42 lbs bag

Bag Filtration Systems



Bag Filter Systems

Our bag filter system is an economical method of pressurized liquid filtration. The system consists of a pressure vessel, retractor basket and a micron rated filter bag. The compact, space saving design of the vessels, allows for easy installation, quick and clean bag changeover, with no special tools required. The different types of materials used for the vessels, in combination with the different types of bags, allows for the application and adaptation of the filter system, to almost any kind of industry. Combine these advantages, and the many special features, with the safety and high operating pressure of a closed system and you will achieve savings in time, labour and replacement costs.

Product	Description
80123	FA40 Filter Housing
80122	FA180 Filter Housing
80124	Legs for Filter Housing
80200	Filter bag, 5 micron, for FA40
80201	Filter bag, 1 micron, for FA40
80202	Filter bag, 5 micron, for FA180
80203	Filter bag, 10 micron, for FA180
80204	Filter bag, 25 micron, for FA180
80205	Filter bag, oil removal, triple layered

Miscellaneous Items



Tork Mekanik Wipes

Absorbs oils, grease, hydraulic fluids, and solvents

Product	Size
30502	240 sheets, box



Cubic Yard Waste Tote

With liner, UN markings

Product	Size
52014	3' x 3' x 3'
52015	Cover for 52014



AF Pollution Abatement Systems, Inc.

74 Auriga Drive Unit 1, Nepean, ON K2E 7X7

Tel: (613) 723-1847 **Fax:** (613) 723-0145 **Toll Free:** 1 800 465-7672

Email: info@afpollution.com **Web:** www.afpollution.com